

Ref: GSIDC/Engg/856/Canacona/NIQ - 107/2021-22/ 4916

26th November 2021

NOTICE INVITING QUOTATION

Sealed Item Rate quotations are invited from the eligible bidders for the work of “**Additional Works for Higher Secondary Building at Mastimol, Canacona**”. The sealed quotations shall be received *upto 15:00 hours on 2nd December 2021* and the same will be opened after *15:30 hours* on the same day. The estimated cost for the work is **Rs.19,95,502.00 (Rupees Nineteen Lakh Ninety-Five Thousand Four Hundred and Two Only)**.

The Schedule of Quantities including the description & procedure for executing the item is furnished in **ANNEXURE-I** enclosed herewith. The bidders shall submit their offer by indicating rates for the items as per the enclosed **ANNEXURE-I** while submitting the quotation. The Bidder shall include all the taxes as applicable in the rates quoted for various items specified in the bill of quantities except for Goods & Service Tax (GST) which will be paid as per the prevailing applicable rate during execution of work (if applicable). Bidders will ensure that full benefit of input tax likely to be availed by them is duly considered while quoting rate. All the pages of **ANNEXURE-I** and **ANNEXURE-II** shall be duly stamped and signed.

The quotation shall be accompanied by Earnest Money Deposit (E.M.D.) amounting to **Rs.39,910.00 (Rupees Thirty Nine Thousand Nine Hundred and Ten only)** in the form of Demand Draft from the Nationalized / Schedule Bank drawn in favor of GSIDC Ltd., payable at Panaji, Goa along with a covering letter, as per format enclosed at **ANNEXURE-II**, duly typed / handwritten, stamped and signed on the Letter Head of the bidder. The quotation without accompanying the EMD in the specified format shall be summarily rejected.

A contractor having executed similar works may peruse the Schedule of Quantities and obtain the same from the office of GSIDC on all working days free of cost in person or authorized representative only. The last date of issue of bid documents shall be *1st December 2021 upto 17:00 hours*.

Terms & conditions:

- The work shall be completed within 30 days from the day of issue of Letter of Acceptance/ Work Order.
- The Bidder shall acquaint himself with the site and scope of work before bidding for the work.
- The Defect Liability Period shall be **1 year (One years)**
- 5% Defect Liability Deposit will be retained for 1 years

GSIDC reserves the right to accept or reject any or all the quotations in part or full without assigning any reason whatsoever.



(Harish Adconkar)
Managing Director

Enclosure: ANNEXURE-I & II


GOA STATE INFRASTRUCTURE DEVELOPMENT CORPORATION LIMITED



REFERENCE: NOTICE INVITING QUOTATION NO. GSIDC/Engg/856/Canacona/NIQ- /2021-22/ dated November, 2021

Project: "Additional Works for Higher Secondary Building at Mastimol, Canacona".

ITEM NO.	DESCRIPTION OF ITEM	UNIT	QUANTITY	RATE		AMOUNT IN FIGURES (RS.)
				IN FIGURES	IN WORDS	
1	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) (Square Hollow Section (SHS) IS4923 /Rectangular Hollow Section (RHS) IS4923/ Circular Hollow Section (CHS) IS1161 closed Structural Steel of approved make (Min Yield Stress 310 Mpa)) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.	Kg	4079.53			
2	Painting two or more coats (excluding priming coat) with superior quality ready mixed paint for steel work of approved brand & manufacture in all shades on new work to give an even shade.	sq.m	115.94			
3	Providing & fixing of Galvalume Sheets (False Ceiling) of approved make & as per manufacturers specifications. The metal sheets shall be high tensile steel (Grade G 550 or G345), hot dip coated with an alloy of 55% Aluminium + 43.5% Zinc having min.150 gsm alloy coating mass (total both sides i.e. AZ 150) as per AS 1397. Sheets shall be permanently colour coated in a continuous coating line with pre-treatment / conversion applied through dip process, applied with special flexible primer (non epoxy) on both surfaces (each of avg. DFT 5 micron), followed by a finish coat of of avg. DFT 20 microns using specially formulated polyester paint having anti dirt / self cleaning property supported by certificate of paint manufacturer on the exposed surface and special polyester paint in mill standard grey shade to an avg. DFT 5 micron on the unexposed surface. The total coated thickness of the metal, inclusive of al-zinc, chemical treatment, primer and finish coats shall be 0.50 mm. The coating, when tested shall meet AS 2728 Class 3 specifications. The manufacturer's brand name shall be printed at regular intervals on the unexposed surface of the coil and shall have unique coil identification number as part of such print. Profile : Sheet profile shall twin crests (spaced @ 20± 5 mm clear pan distance to each other), each of depth of 18 ± 3 mm, 250 ± 10 mm c/c effective pitch and covered width 1020 ± 20 mm. The sheets shall be fixed at the pan between twin crests of the sheets using SDST screws (conforming to AS 3566 Class 3) with in built EPDM washers. The screws shall be spaced at every 500mm c/c on interim purlins and 250mm c/c at ridge, eaves and all end laps. The profile shall have manufacturer's brand name printed on the sheets at an regular intervals. The length of the sheets shall be continuous over a minimum of three purlins unless otherwise essential. All complete as per drawing detail, including making cut outs for light fixtures, skylights, speakers, etc. and including all necessary accessories, cutting, providing neatly finished edges, fixing, levelling, double scaffolding at all heights, etc. complete as per the approved shop drawings, detail and as per the direction of Engineer-In-Charge. (Measurement shall be edge to edge without any deductions for lights, diffusers, columns etc.) Scaffolding for the work should be inclusive for height upto 10 mtr	sq.m	304.83			
4	Providing and fixing make Shera board of 6mm thick plain tile cut at site as per grid square edge of size 600 x 600 mm, modular T grid false ceiling or equivalent in true horizontal level,suspended on inter locking metal grid of hot dipped galvanized steel sections 120 grams per square metre. including both side) consisting of main "T" runner suitably spaced at joints to get required length and of size 24x38mm made from 0.33mm thick (minium) sheet, spaced 1200mm center to center, and cross "T" of size 24x28mm made of 0.33mm thick (Minimum) sheet to be inter locked at middle of the 1200x600mm panel to from grid of size on a Perimeter wall angle precoated steel of size 600x600mm, resting on periphery walls/ partitions (24x24x300mm) made of 0.40mm thick (minimum) sheet with the help of rawl plugs at 450mm . Main "T" runners to be suspended from ceiling using G.I.slotted cleats of size 25x35x1.6mm fixed to celing using with 12.5mm dia and 50mm long dash fastners, level clips of size 85x30x0.8mm spaced at 1200mm center to center along main T bottom exposed with 24mm of T-section shall be pre-painted with polyester baked paint, for all heights, as per specifications	sq.m	104.00			



GOA STATE INFRASTRUCTURE DEVELOPMENT CORPORATION LIMITED



REFERENCE: NOTICE INVITING QUOTATION NO. GSIDC/Engg/856/Canacona/NIQ- /2021-22/ dated November. 2021


Project: "Additional Works for Higher Secondary Building at Mastimol, Canacona".

ITEM NO.	DESCRIPTION OF ITEM	UNIT	QUANTITY	RATE		AMOUNT IN FIGURES (RS.)
				IN FIGURES	IN WORDS	
5	Providing Stone pitching required profile of 150 - 200 mm size thick using basaltic boulders stone of approved quality in cement mortar 1:4 (1 cement : 4 coarse sand) including supplying of stone and preparing surface etc. complete.	sq.m	408.00			
GRAND TOTAL:-						
GRAND TOTAL (IN WORDS) :-						

Note:

1 Goods and Service tax as applicable shall be paid extra

Signature and Stamp



EMPLOYER

(Format of Covering Letter)

From :

-----,
-----,
-----.

Date :

To

THE MANAGING DIRECTOR,
GSIDC Limited,
7thFloor, Dr. Atmaram Borkar Road,
Panaji - Goa.

Sir,

Sub : Additional Works for Higher Secondary Building at Mastimol, Canacona

In response to Notice Inviting Quotation No.GSIDC/Engg/Works/856/Canacona/
NIQ/ /2021-22 dated November 2021 for the work of "**Additional Works for
Higher Secondary Building at Mastimol, Canacona**", I / We hereby submit my /
our highest bid in the enclosed format [ANNEXURE-I].

Demand Draft bearing No._____ dated _____ amounting to
Rs.39,910.00 (Rupees Thirty Nine Thousand Nine Hundred and Ten only) drawn
on _____ Bank in favour of GSIDC Limited payable at Panaji, Goa is
enclosed herewith as Earnest Money Deposit.

I / We hereby state that I / We fully abide by the conditions put forth in the said
Notice Inviting Quotation.

Thanking you,

Yours faithfully,
(Signature of the Bidder)

Full name of the Bidder : _____
Address : _____
Telephone No. : _____
Mobile No. : _____
Fax : _____