



Government of Goa
DIRECTORATE OF SKILL DEVELOPMENT & ENTREPRENEURSHIP

Shramashakti Bhavan, 3rd Floor, Patto Plaza, Panaji-Goa.403001

Ph:(0832)2437059/60 Fax:2437060

Website: www.dsde.goa.gov.in

Email: procurement-sdct.goa@nic.in

Ref. No.: DSDE/Projects/e-Tender/2022-23/001

Dated: 30/09/2022

BRIEF TENDER NOTICE
(e-TENDERING MODE ONLY)

The Director, Directorate of Skill Development and Entrepreneurship, Panaji-Goa, invites bids/tenders on behalf of the Governor of Goa from eligible bidders through e-Tendering mode for procurement of following Goods for various Government Industrial Training Institutes (ITIs):-

Sr. No.	e-Tender No.	Name of Work	Estimated Cost (Rs.)	EMD (Rs.)	Tender Form Fee (Non Refundable) (Rs.)	eTender Processing Fee (Non Refundable) (Rs.)
1	DSDE/Project/e-Tender/2022-23/001	Procurement of Hand Tools for all Government ITIs in the State	1,48,46,443.00	3,71,162.00	6000.00	6000.00

The Schedule of the e-Tender process and payment details are as below:-

Activity	Time lines
The last date of online submission of Tender	21/10/2022 upto 15:00 hrs.
The date and time of Opening of online Tender	27/10/2021 at 12:00 hrs as mentioned in e-Tender documents
Payment Details	Mode of Payment : ePayment Only
Tender Form Fee (Non Refundable)	<i>Mode of Payment towards Tender Document Fee(TDF), e-Tender Processing Fee(TPF) & Earnest Money Deposit(EMD) to be paid online through e-Payment mode via : (i) National Electronic Fund Transfer (NEFT) / Real-Time Gross Settlement (RTGS).Tenderer requires download pre-printed Challan towards credit of ITG available on e-tender website and make its payment through any of their Bank. (ii) Net Banking: Payment can be made through the Internet Banking of Any Bank.</i>
eTender Processing Fee (Non Refundable)	
Earnest Money Deposit (EMD) <i>As stated above.</i>	
	<i>Any Payments made through NEFT/RTGS will take 24 hours for its reconciliation. Hence the payments through NEFT/RTGS should be made at least TWO BANK WORKING DAYS in advance before any due date and upload the scanned copy of challans in the e-Tender website as a token of payment.</i>

For more details, please visit our website www.dsde.goa.gov.in and for participation in e-Tender please visit our e-Tender website <https://eprocure.goa.gov.in>

-Sd-

Director of Skill Development and Entrepreneurship
Panaji-Goa



Government of Goa

DIRECTORATE OF SKILL DEVELOPMENT & ENTREPRENEURSHIP

Shramashakti Bhavan, 3rd Floor, Patto-Plaza, Panaji, Goa403001

Ph:(0832)2437059/60 | Fax:2437060

Website: www.dsde.gov.goa.in

Email: procurement-sdct.goa@nic.in

Ref No: DSDE/Projects/e-Tender/2022-23/001

Date:30/09/2022

Tender Form & Specification of the Tender Item

TENDER NO. : - DSDE/Projects/e-Tender/2022-23/ 001

NAME OF THE WORK - Procurement of Hand Tools for all Governement ITIs in the State.

ESTIMATED COST- Rs.1,48,46,443.00

EMD - Rs.3,71,162.00

TENDER SHALL REMAIN VALID TILL - 31/03/2023

DELIVERY PERIOD - 90 days from the date of issue of Supply Order

IMPORTANT : 1) Prescribed Tender Form should be submitted **ONLINE** to the Directorate of Skill Development &Entrepreneurship, Shrama Shakti Bhavan, 3rd Floor, Patto Panaji – Goa digitally signed by the tenderer, otherwise offer will be rejected.

2) Detailed Technical specifications are given below:-

Sr. No.	Description/Specification of Items	Make/ Brand	Unit	Qty.
	Refer Annexure –I			

(Signature of Tenderer)

TENDER SCHEDULE & IMPORTANT DATES

Please Note: All bid related activities (Process) like Tender Document Download, Bid Preparation, bid submission and submission of other documents will be governed by the time schedule given under Key Dates below:

Activity	Time Schedule
Online submission of Tender Document	30/09/2022 to 21/10/2022 up to 15:00 hrs
Pre-bid meeting	13/10/2022 at 12:00 hrs
Online opening of Technical bid	27/10/2021 at 12:00 hrs
Online opening of Financial bid	Will be communicated later

INSTRUCTIONS TO BIDDERS

1. GENERAL INSTRUCTIONS:-

- 1.1 To view- Tender Notice, Detailed Time Schedule, Tender Document for this Tender and subsequently purchase the Tender Document and its supporting documents, kindly visit following e-Tendering website of Government of Goa: <https://eprocure.goa.gov.in>
- 1.2 If any assistance is required regarding e-Tendering (registration / upload / download) please contact e-procure help desk on following numbers: 9834889836, 7972854213, 7822039673, 7972871944, e-tender.goa@gov.in
- 1.3 Bidders to quote for items of leading brand with IS certification, wherever applicable.

2 PURCHASE AND DOWNLOADING OF TENDER FORM:-

- 2.1 The tender document is uploaded / released on Government of Goa, e-tendering website <https://eprocure.goa.gov.in>. Tender document and supporting documents have to be purchased on-line and downloaded from following link of Directorate of Skill Development & Entrepreneurship on e-Tendering website of Government of Goa, <https://eprocure.goa.gov.in> by making online payments for Tender document and tender processing fee.

Mode of Payment towards Tender Document Fee(TDF), e-Tender Processing Fee(TPF) & Earnest Money Deposit(EMD) to be paid online through e-Payment mode via : (i) National Electronic Fund Transfer (NEFT) / Real-Time Gross Settlement (RTGS). Tenderer requires download pre-printed Challan towards credit of ITG available on e-tender website and make its payment through any of their Bank (ii). Net Banking: Payment can be made through the Internet Banking of Any Bank. Any Payments made through NEFT/RTGS will take 24 hours for its reconciliation. Hence the payments through NEFT/RTGS should be made at least TWO BANK WORKING DAYS in advance before any due date and upload the scanned copy of challans in the e-Tender website as a token of payment.

- 2.2 Tender forms will not be sold / issued manually from Directorate of Skill Development & Entrepreneurship, Shram Shakti Bhavan, 3rd Floor, Patto Panaji – Goa.
- 2.3 Only those Tender offers shall be accepted for evaluation for which non-refundable Tender document Fee, Tender processing fee and EMD (refundable) as mentioned in the tender document is received online on or before scheduled date given in TIME SCHEDULE AND IMPORTANT DATES of the tender.

3. **SUBMISSION OF BIDS**

3.1 Both the Bids (Technical and Financial) shall have to be submitted **online only**. Bids not submitted online will not be entertained.

3.2 **Bidder shall quote for any available items with specified brand/ make OR equivalent as evaluation shall be done item wise for award of contract.**

3.3 Offer should be inclusive of all taxes, F.O.R. Destination (GST, packing & forwarding, freight upto destination, loading unloading, insurance charges & other charges, if any).

3.4 Technical Bid shall contain following documents (in the form of PDF files / Scanned images). These documents need to be digitally signed by individual tenderer's digital signature and uploaded during online bid preparation stage:-

- 1) Submit all GST Returns i.e. 3B/ GST R1 along with Tax Challan for the F.Y 2021-22.
- 2) No Deviation Certificate in detail in the prescribed proforma should be submitted for each item separately, wherever there is no deviation.
- 3) The Bidder should furnish **document** to support that he has the financial capacity to perform the contract. For this the bidder should have the minimum turnover of twice the estimated amount of this e-Tender in any one of the last three Financial years(i.e. FY 2019-20, FY 2020-21, FY 2021-22).
- 4) Annual Turnover (Total of the last 3 years) shall be equal or more than 7.5 Crores.
- 5) Manufacturer's Catalogue / Leaflet / Circuit-diagram / Layout-diagram for each equipment should be attached with the offer, wherever applicable.
- 6) Valid registration Certificate of the company / firm.
- 7) PAN CARD copy.
- 8) The product may be quoted with the ISI Certification wherever applicable.
- 9) Partnership deed in case of partnership firm
- 10) Undertaking for service after sales and warranty for minimum 1 year should be given along with tender.
- 11) Undertaking of delivery period within 90 days is to be submitted.
- 12) Undertaking for providing validity of quoted rates for one year from the date of opening of bid.

- 13) Undertaking for delivery at various institutes/Centres, including demonstration, installation, satisfactory trial at free of cost and service during warranty period.
 - 14) Undertaking duly signed by the tenderer regarding acceptance of penalty clause, risk purchase clause and fall clause.
 - 15) Undertaking to provide AMC/CMC on demand.
 - 16) Undertaking that Bidder has not been blacklisted for any default in supply by any Govt. agency.
 - 17) An affidavit of non – bankruptcy insolvency of bidder, duly attested by the Notary public must be enclosed.
 - 18) Undertaking that the bidder is fully conversant with terms and conditions of tender for the supply of machinery / equipments / tools in ITI college Goa.
 - 19) The net worthy of the bidder in last financial year i.e. 2021-22, should be positive, certificate of Rs. 1 Crore must be enclosed.
- 3.5 In case, during the scrutiny of the bids of any bidder, if it is revealed that the documents submitted by the bidder is/ are unauthentic, then such bid/s shall be summarily rejected and further course of action on the said bidder/s shall be initiated as per rules, including forfeiture of the EMD.
- 3.6 The bidders shall submit physical copies of above documents in sealed envelopes for verification, if required, during the bid evaluation process.
- 3.7 Bidder should have no legal / financial irregularity case pending against them for which charges stand framed and trial commenced in any court of law and affidavit to this effect shall have to be filled by the bidder.

Note: If, during online bid preparation, any need arises to upload additional documents, apart from the above mentioned documents, an option to upload additional documents has been provided in the e-Tendering software which will be available to bidders during online bid preparation stage.

4.0 COMMERCIAL BID :

1. All financial offers must be prepared and submitted online (An online form will be provided, during online bid preparation stage) and signed using individual's digital certificate.
2. The bidder should not quote his offer anywhere directly or indirectly in Technical bidding failing which the Commercial bid shall not be opened and his tender shall stand rejected.

5.0 OPENING OF BID

5.1 TECHNICAL BID: Technical bid will be opened online through e-Tendering procedure, to verify its contents as per requirements, on the date specified in Tender document in presence of tenderer/s or their authorized Representative. Authorized Representative to produce letter of Authorization from the Company/Establishment during his presence.

If the various documents contained in this envelope do not meet the requirements, a note will be recorded accordingly by the tender opening authority and the said tenderer's commercial bid will not be considered for further action but the same will be recorded. Decision of the tender opening authority shall be final in this regard.

5.2 COMMERCIAL BID: The tenderers qualifying technically are only eligible for opening of commercial bid. The commercial bid will be opened in the presence of tenderer or their authorised representative at a date which will be notified later. **Authorized Representative to produce letter of Authorization from the Company/Establishment during his presence.** This bid shall be opened online through e-Tendering procedure only. The commercial bids shall not be opened till the completion of evaluation of technical bids by the Technical Bid Evaluation Committee. Commercial Bids of only technically qualified Bidders will be opened.

The Commercial bid must be filled online using individual's digital certificate. (An online form will be provided to bidders for Price Schedule during online bid preparation stage).

Offer should be inclusive of all taxes, F.O.R. Destination (excise duty, sales tax, packing & forwarding, freight upto destination, loading unloading, insurance charges & other charges, if any).

6.0 Evaluation of Bid:

Technical Evaluation Committee will evaluate Technical Bid first and those bidders score 80% score and above only will be eligible for opening of financial bid.

Technical Proposals Shall be further evaluated on the following parameters			
<u>Sr. No.</u>	<u>Description</u>	<u>Maximum Allocation of Marks</u>	<u>Mark maximum</u>
1	Experience in this Field (20 Marks)		
	i) Single Order Min. 2.5 Crore	20 Marks	20 Marks
	ii) Two Or More Order Exceeding 1.5 Crore	15 marks	
2	Supplier (10 Marks)		
	i) MSME Registered Supplier	10 Marks	10 Marks
	ii) CE/ISO Registered Supplier	7 Marks	
	iii) Supplier	5 Marks	
3	Methodology & Project Scheduling & Planning (20 Marks)		
	i) Methodology & Approach	10 Marks	20 Marks
	ii) Scheduling & Planning	10 Marks	
4	Training capacity Development (10 Marks)		
	i) Training & Capacity Development Availability of Trainer in Respective Field	10 Marks	10 Marks
5	Total Last 3 Year Financial Turnover (20 Marks)		
	i) More then 7.5 Cr.	20 Marks	20 Marks
	ii) More then 3.0 Cr.	10 Marks	
6	Office (05 Marks)		
	Well Establish office With Staff	05 Marks	05 Marks
7	Own Transportation (10 Marks)		
	Own Transportation Arrangement With Vehicle Details	10 Marks	10 Marks
8	Staff (05 Marks)		
	Abstract Of Staff Knowing Konkani &marathi Language	05 Marks	05 Marks
		Total	100 Marks

The Financial Bid of only that bidder who qualifies technically that is who score minimum 80 out of 100 marks will be opened. The bid will be evaluated Itemwise and the bid with respect to lowest cost will be considered for placing supply order.

7.0 EARNEST MONEY DEPOSIT (EMD):

The tenderer shall have to furnish Earnest Money Deposit (E.M.D.) **payable** through online payment Gateway on portal <https://eprocure.goa.gov.in>

Mode of Payment towards Tender Document Fee(TDF), e-Tender Processing Fee(TPF) & Earnest Money Deposit(EMD) to be paid online through e-Payment mode via : (i) National Electronic Fund Transfer (NEFT) / Real-Time Gross Settlement (RTGS). Tenderer requires download pre-printed Challan towards credit of ITG available on e-tender website and make its payment through any of their Bank (ii). Net Banking: Payment can be made through the Internet Banking of Any Bank. Any Payments made through NEFT/RTGS will take 24 hours for its reconciliation. Hence the payments through NEFT/RTGS should be made at least TWO BANK WORKING DAYS in advance before any due date and upload the scanned copy of challans in the e-Tender website as a token of payment.

The tenders without Earnest Money Deposit will summarily be rejected. The Earnest Money Deposit of unsuccessful tenderer shall be refunded. The E.M.D. of the successful tenderer will be refunded or adjusted against Security Deposit, after the tender is accepted and agreement is executed. The Earnest Money shall be forfeited to the Government Treasury in case of breach of any of the conditions governing the supply. If any tenderer withdraws the tender after submission, his / her EMD will be forfeited to Government Treasury.

8. JURISDICTION:

The legal jurisdiction is Panaji – Goa.

9. ACCEPTANCE / REJECTION OF BIDS:

The Directorate of Skill Development & Entrepreneurship reserves the right for any changes / cancellation / rejection of any/all offers, without assigning any reason whatsoever.

10. PRE-DISPATCH INSPECTION:

Pre-dispatch Inspection will be carried out from the representative of this Directorate, if required by the Department. However inspection charges will be borne by the tenderer.

11. SCHEDULE OF REQUIREMENTS :-

Bidder is required to undertake the scope of work for ITI as mentioned below. The scope of work of tender will include the supply of below listed machinery / equipments / tools in ITI.

12. DELIVERY OF GOODS :-

The successful tenderer shall arrange to supply the material at places mentioned in the supply order without any additional charges towards packaging, forwarding, freight, etc. The Tenderer should obtain acknowledgement and issue delivery challan for the material supplied.

13. TIME LIMIT FOR SUPPLY :-

The materials should be delivered within the stipulated period specified in the supply order or within short notice depending upon the situation. Any of the materials received in broken or damaged condition the same will have to be replaced by the successful tenderer without any additional cost & within the stipulated period. Any cost incurred on transportation of damaged goods will have to be borne by the supplier

14. INSTALLATION:

Installation and free working trial is to be given to all consignees at their sites, wherever applicable.

14. WARRANTY:

Warranty should be minimum one year for machines as well as for its accessories.

15. PAYMENT TERMS:-

90% of the payment shall be released immediately after acceptance, installation and commissioning of goods and 10% shall be released after satisfactory training of the Instructors to operate the equipments and Machinery.

16. PERFORMANCE GUARANTEE :-

Performance Guarantee / Security Deposit equivalent to 3% of the value of materials/equipment ordered to be submitted within 15 days of the date of supply order by way of Demand Draft/Bank Guarantee in favour of the Directorate of Skill Development & Entrepreneurship, payable at Panaji – Goa valid till a period of 60 days after the date of expiry of defect liability period or the guarantee/ warranty period, as the case may be.

Place : Panaji – Goa

-sd/-
Director,
Directorate of Skill Development & Entrepreneurship
Panaji-Goa

Sr No. 3 (3.4) (2)

No Deviation Certificate

Sr. No.	Specification of Equipment mentioned in Tender Enquiry	Specification of Equipment offered by the tenderer	Whether there are deviation from the tender specification Yes / No	If yes indicate clear which are the deviation

(Signature of Tenderer)

Sr No. 3(3.2)&(3.3)

PRICE STRUCTURE

Amount in Rs.

Sr No	Description of item offered	Make	Qty	Unit	Rate	GST (if applicable in percent age)	GST Amount	Total Amount without taxes	Total Amount with taxes

Annexure-I

Procurement of Hand tools				
Sr.no	Description	Brand/equivalent	Total QTY	Unit
1	AC alternator slip ring puller , HCS	Taparia/Pye/Ambitec	3.00	Nos
2	Adjustable spanner 38 cm long. Made of hardened high carbon steel/ forged steel. Confirming to ISO / ISI Standards.	Taparia/Pye/Ambitec	8.00	Nos
3	Allen Key Set of 12 pcs 2mm to 14 mm. in step of 01 mm.	Taparia/Pye/Ambitec	19.00	Nos
4	Brake test arrangement with two spring balance 0-25 kg rating	Compac/Electro/Voltec	2.00	Nos
5	Cold flat chisel 20mm x 250 mm(ISO Standard / ISO certified) Material: Carbon steel	Taparia/Pye/Ambitec	26.00	Nos
6	Double ended spanner metric. set of 12 pcs. 6mm to 32mm.	Taparia/Pye/Ambitec	27.00	Nos
7	Hammer ball pen 0.5Kg	Taparia/Pye/Ambitec	95.00	Nos
8	Tester sparking plug 'NEON' Type for LMV & ISI certified	Taparia/Pye/Ambitec	1.00	Nos
9	Dividers, 250 mm	Bharat/Sagar/Groz	25.00	Nos
10	Drill twist 1.5 mm to 15 mm (various sizes) by 0.5 mm H C S & ISI certified	IT/JK/Addisson	26.00	Nos
11	Growler, 230 Volts	Laxmi/Prince/AE	6.00	Nos
12	Hammer sledge double faced 4 kg	Taparia/Pye/Ambitec	4.00	Nos
13	Trowel Medium	Standard Quality	6.00	Nos
14	Magnetospanner set with 8 spanner , Stainless steel and ISI certified	Standard Quality	6.00	Nos
15	Oil can 0.5 litre capacity	Ambitec/Taparia/Prima	22.00	Nos
16	Paper Cutter:- hand operated Paper/Card shear-Cutter of size A3	Standard Quality	2.00	Nos
17	Pipe bender manually operated-bench type hand operated pipe bender, for pipes from 15mm to 32mm,of ISI standard and with ISI mark with Inner formers to suit sizes from 15mm to 32mm pipes and other accessories complete.	Compac/Atlas/Amco	7.00	Nos
18	Pipe stock and dies complete with stocks, bushing , bushing holders, Taps and wrenches sizes covered, to suit pipes of bore dia 6,8,10,20,25,32,40,&50mm	Humma/Halo/Takiar	5.00	Nos
19	Plier Combination 150mm	Taparia/Pye/Ambitec	9.00	Nos
20	Portable forge ,450mm with hand blower	Azad/Asad/Hind	2.00	Nos
21	Reamer Adjustable, HSS, 10 to 20 mm (set of 8 pieces).	Bharat/Sagar/Groz	2.00	Nos
22	Screw driver 30 cm. X 9 mm. Blade with transparent green handle	Taparia/Pye/Ambitec	60.00	Nos
23	Machine vice 15cm for drilling machine: double rib, heavy duty, universal type, body made of grey cast iron, jaw plate of tool steel. Confirming to ISO / ISI Standards.	Apex/Bharat/Lion	6.00	Nos
24	Pipe cutter 6 mm to 50 mm wheel type. Complete set with 3 cutting wheels made of hardened and tempered high quality steel set apart at 120° apart in a cast iron frame with jacking screw made of hardened carbon steel. Confirming to ISO / ISI Standards.	Inder/Takiar/Foreman	11.00	Nos
25	Pipe vice 100 mm. Made of toughened cast steel with suitable serrated fixed and movable jaws & screw spindle & handle made of hardened High carbon steel.	Jet/Humma/Taparia	11.00	Nos

	Base provided with holes for fixing. Confirming to ISO / ISI Standards.			
26	Pocker : made of dia 10mm, pointed at one end, 500mm long, used for forging purpose. Standard industrial model. Made of hardened high carbon steel/ forged steel. Confirming to ISO / ISI Standards.	Taparia/Pye/Ambitec	8.00	Nos
27	Screw Driver 250 mm stem and 9mm blade	Taparia/Pye/Ambitec	49.00	Nos
28	Screw Pitch gauge of IS standards, with ISI mark on to cover,check threads B.S.F. upto 1",B.S.W.-1/4 to 3/8" se above threads-set of 7nos. and Metric threads of sizes no.6 to 18mm set of 7 nos.	Bharat/Sagar/Groz	4.00	Nos
29	Scribing block universal 300 mm confirming to ISO/ ISI standard	Bharat/Sagar/Groz	5.00	Nos
30	Sight rail & boning rod set of side rails 2 nos. string to tie both the side rails with bining ror	Bharat/Sagar/Groz	4.00	Nos
31	Solid Parallels in pairs alloy steel, properly hardened & ground, supplied in matched pairs, in different sizes in metric, sets supplied in fine finished wooden box. : 8	Bharat/Sagar/Groz	14.00	Nos
32	Spanner Clyburn 15 cm, HCS & ISI certified	Taparia/Pye/Ambitec	8.00	Nos
33	Straight edge steel 500mm x width 50mm x thickness 8mm,grade 8 made up of steel.	Bharat/Sagar/Groz	9.00	Nos
34	Tap and Die set ,HSS B.A. No 0 to 10 in box with tap wrench & Die handle.	Humma/Halo/Takiar	4.00	Nos
35	Adjustable spanner (Pipe Wrench 350 mm) H C S & ISI certified	Taparia/Pye/Ambitec	13.00	Nos
36	C' Clamp 150 mm Drop forged steel	Bharat/Sagar/Groz	4.00	Nos
37	Handsaw 450mm (ISI Standard / ISO certified)	Anant/Taparia/Stanley	4.00	Nos
38	Micrometer 0 – 25 mm outside. Least count- 0.01 mm. Complete with test piece, operation manual, etc. in a suitable box. Anvil and spindle made of alloy steel with their measuring faces made of tungston carbide steel, frame made of malleable cast iron or drop forged steel. Confirming to ISO / ISI Standards.	Mitutoyo/Insize/Baker	17.00	Nos
39	Networking crimping tool kit	D-Link/TP-link/Star	7.00	Nos
40	Right cut snips 250mm & ISI certified	Jet/Ambitec/Pye	6.00	Nos
41	Thermostat, new and ISI certified	Standard Quality	12.00	Nos
42	Tubular box spanner set of six (ISI Standard / ISO certified) Size 10mm x 190mm along with steps of 8mm & 5mm,	Taparia/Pye/Ambitec	4.00	Nos
43	Clamp" C" 10 cm. Made of drop forged quality cast steel. Confirming to ISO / ISI Standards.	Bharat/Sagar/Groz	16.00	Nos
44	Clamps C 100 mm H C S	Bharat/Sagar/Groz	14.00	Nos
45	File assorted sizes and types including safe edge file (20 Nos) H C S with handle	JK with wooden handle	12.00	Nos
46	File triangular 15cm smooth, made of high carbon / high grade cast steel with well fitted PVC handle with ferrule. Body hardened and tempered and tang soft tempered. Confirming to ISO / ISI Standards.	JK with wooden handle	12.00	Nos
47	Hand Drill 0 to 6 mm, 8mm, 10mm & 12mm	Jet/Anant/Humma	7.00	Nos
48	Hollow punch set of seven pieces 6mm to 15mm HCS & ISI certified	Jet/Anant/Humma	17.00	Nos
49	Number Punch 6 mm	Bharat/Sagar/Groz	10.00	Nos
50	letter punch 8 mm	Bharat/Sagar/Groz	2.00	Nos
51	Pliers combination 15 cm, made from toughened steel Confirming to ISO / ISI Standards. With insulated holders & serrated, hardened faces	Taparia/Pye/Ambitec	6.00	Nos
52	Rawl Punch holder and bits (No.14)	Jet/Anant/Humma	4.00	Nos

53	Sher Tinmans 300mm, Stainless steel & ISI certified	Jet/Ambitec/Pye	8.00	Nos
54	Spanner T. flocks for screwing up and up-screwing inaccessible position CRV steel with handle , Chrome Vanadium with handle & ISI certified	Taparia/Pye/Ambitec	14.00	Nos
55	Spring tension tester Multi Range Force Display Selectable Force & Length Unit Peak Hold Mode Deflection Compensation Self Holding Mechanism Physical Overload protection	Compac/Voltec/FIE	5.00	Nos
56	Vice grip pliers, Drop forged & ISI certified, size 175mm to 250 mm	Taparia/Pye/Ambitec	6.00	Nos
57	Hollow Punch Round 6mm Dia x 150mm length, Material :-hardened tool steel. (with Knurl body).	Jet/Anant/Pye	3.00	Nos
58	Impact screw driver Cordless Screwdriver; 1x Extension Bit Holder; 2x Screwdriver Bits; Charger; 3.6V Li-ion Battery	Skil/Powergrip/Bosch	3.00	Nos
59	Ladle 150mm Dia x 50mm Depth With wooden handle.For making solder. Single body made up of stainless steel, to withstand the temperature of 800 deg.celcius with a projection for pouring molten solder.	Standard Quality	3.00	Nos
60	Magnifying glass 75mm	Standard Quality	25.00	Nos
61	Outside spring calliper 150 mm manufactured from good quality carbon steel,heat treated points	Bharat/Sagar/Groz	61.00	Nos
62	Pipe flaring tool & ISI certified	Asian/Professional/P&M	2.00	Nos
63	Rivett sets snap and dolly combined 3mm,4mm,6mm & ISI certified	Standard Quality	6.00	Nos
64	Saw Plumber 300mm	Anant/Taparia/Ambitec	2.00	Nos
65	Interchangeable ratchet socket set with a 12mm driver, sized 10-32 mm set of 18 sockets & standard attachments. Made of high quality chrome vanadium steel as per ISO standards. Complete set in a suitable contoured steel box.	Taparia/Pye/Ambitec	7.00	Nos
66	Knurling tools (set of 3) straight and diamond Revolving head with 6 straight & diamond knurls manufactured form high qulity steels OR alloy steel.	Bharat/Sagar/Groz	2.00	Nos
67	Mallet : wooden, wt- 1 kg. Confirming to ISO / ISI Standards.	Jet/Anant/Ambitec	36.00	Nos
68	Oil stone 15cm x 5cm x 2.5cm, carborandum. Silicon carbide, with 125 grit based fine & coarse faces	Carborandum	8.00	Nos
69	Planishing hammer wt- 1 kg. Made of hardened high carbon steel/ forged steel. Confirming to ISO / ISI Standards.	Taparia/Pye/Ambitec	8.00	Nos
70	Snip bent 25 cm., capable to cut sheets upto 22 SWG. Made of hardened high carbon steel. Confirming to ISO / ISI Standards.	Jet/Ambitec/Pye	25.00	Nos
71	Spanner double ended 6 mm to 21 mm (set of 08 pieces, Drop Forged)	Taparia/Pye/Ambitec	9.00	Nos
72	Spanner, adjustable 15cm, Drop forged SS & ISI certified,	Taparia/Pye/Ambitec	15.00	Nos
73	Stilson wrenches 25 cm. Made of hardened high carbon steel/ forged steel. Confirming to ISO / ISI Standards.	Taparia/Pye/Ambitec	4.00	Nos
74	Stock & Die Set for 12mm, 18 mm,25 mm & 30mm Conduit Pipe, with standard accessories.	Humma/Halo/Takiar	3.00	Nos
75	Tape holder	Humma/Halo/Takiar	2.00	Nos

76	Taps and dies complete set (metric):- 1 each Tap and Die sizes: 3mm-0.50, 4mm-0.70, 4mm-0.75, 5mm-0.80, 5mm-0.90, 6mm-1.00, 7mm-1.00, 8mm-1.00, 8mm-1.25, 9mm-1.00, 9mm-1.25, 10mm-1.25, 10mm-1.50, 11mm-1.50, 12mm-1.50, 12mm-1.75	Humma/Halo/ALPS	2.00	Nos
77	Tool bits holder (Amstrong) L.H.for square tool bit	Bharat/Sagar/Groz	4.00	Nos
78	Tool bits holder (Amstrong) R.H.for square tool bit	Bharat/Sagar/Groz	4.00	Nos
79	Tubeless tyre repair kit	Standard Quality	2.00	Nos
80	TWIST DRILL BITS 6,8,10,12, MM	IT/JK/Addison	1.00	Nos
81	Valve Lifter ISI certified	Viridi/Mega/CE	1.00	Nos
82	Allen key set (set of 9) 0.1cm. to 1cm.: 9 pieces (Made up of Chrome Vanadium Steel) (ISI Standard / ISO certified)	Taparia/Pye/Ambitec	4.00	Nos
83	Blow lamp 0.50 litre, brass body, standard copper nozzle. Confirming to ISO / ISI Standards.	Prabhat/Eco/Bharat	19.00	Nos
84	Combination set 30cm. (set includes spirit levelled protector & square heads, centre head, hardened, polished high carbon steel Scale graduated both in Metric & British and other accessories) , accuracy is 1 deg. Confirming to ISO / ISI Standards.	Mitutoyo/Insize/Baker	8.00	Nos
85	Scissors 200mm Usable in ICTSM workshop (for electronic circuit building), Stainless steel (ISI Standard / ISO certified)	Standard Quality	5.00	Nos
86	Adjustable pipe BSP Tap & Die set to cover pipe size 15, 20, 25, 32, 38 & 50 mm. Made of hardened high speed/ carbon alloy steel.	Humma/Halo/Takiar	2.00	Nos
87	Insulated side cutting pliers 150 mm insulated	Taparia/Pye/Ambitec	83.00	Nos
88	Scraper flat 15 cm. width 2.5 cms. Made of hardened quality high carbon steel with tempered blade with suitable wooden handle. Confirming to ISO / ISI Standards.	Bharat/Sagar/Groz	42.00	Nos
89	Machine vice 10cm for drilling machine: double rib, heavy duty, universal type, body made of grey cast iron, jaw plate of tool steel. Confirming to ISO / ISI Standards.	Apex/Bharat/Lion	11.00	Nos
90	Universal wheel puller for removing pulleys & Bearings	Taparia/Pye/Ambitec	3.00	Nos
91	Ladel	Standard Quality	1.00	Nos
92	Armstrong type tool bit holder L.H 3/8"	Bharat/Sagar/Groz	12.00	Nos
93	Armstrong type tool bit holder R.H 3/8"	Bharat/Sagar/Groz	12.00	Nos
94	Armstrong type tool bit holder straight 3/8"	Bharat/Sagar/Groz	8.00	Nos
95	Chisel cross cut 200 mm x 6 mm H C S	Jet/Lovely/Takiar	24.00	Nos
96	File flat 200mm smooth	JK with wooden handle	10.00	Nos
97	Firmer Chisel 25 mm (wood Chisel) with handle	Jet/Natraaj/Takiar	12.00	Nos
98	Firmer Chisel 6mm x 200m(Wood Chisel) with handle	Jet/Natraaj/Takiar	4.00	Nos
99	Hammer Mallet, wooden 25 gms	Jet/Standard Quality	16.00	Nos
100	Divider 150mm	Bharat/Sagar/Groz	66.00	Nos
101	Pipe cutting tool & ISI certified	Inder/Takiar/Humma	8.00	Nos
102	Shear Tin Man's 450 mm x 600 mm & ISI certified	Jet/Ambitec/Pye	14.00	Nos
103	Tweezers – Bend tip	Made of Stainless Steel	6.00	Nos
104	Neon tester (230 v)	Taparia/Pye/Ambitec	73.00	Nos
105	Drift punch copper 15 cm	Standard Quality	28.00	Nos
106	Precision set of screw drivers- T5, T6, T7	Taparia/Pye/Ambitec	6.00	Nos
107	Adjustable spanner 12 " Drop forged & ISI certified	Taparia/Pye/Ambitec	2.00	Nos
108	C' Clamp 200 mm Drop forged steel	Bharat/Sagar/Groz	19.00	Nos
109	Chisel cold flat 25 mm x 250 mm	Jet/Ambitec/Taparia	44.00	Nos
110	File feather edge 15 cm smooth made of high carbon /	JK with wooden handle	12.00	Nos

	high grade cast steel with well fitted PVC handle with ferrule. Body hardened and tempered and tang soft tempered. Confirming to ISO / ISI Standards.			
111	File half round 20 cm second cut H C S with handle	JK with wooden handle	41.00	Nos
112	File round 30 cm bastard made of high carbon / high grade cast steel with well fitted PVC handle with ferrule. Body hardened and tempered and tang soft tempered. Confirming to ISO / ISI Standards.	JK with wooden handle	10.00	Nos
113	File Round 30 cm H C S with handle	JK with wooden handle	14.00	Nos
114	File square 20 cm second cut H C S with handle	JK with wooden handle	40.00	Nos
115	Flat file 35 cm bastard H C S with handle	JK with wooden handle	173.00	Nos
116	Grover set 4mm forming for sheet metal work	Standard Quality	2.00	Nos
117	Lathe tools H.S.S tipped set.	Miranda/Adisson/IT	14.00	Nos
118	left cut snip 250mm & ISI certified	Jet/Ambitec/Pye	8.00	Nos
119	Rawal plug 6mm of I.S.I. standard	Jet/Natraaj/Pye	8.00	Nos
120	Tong, Close mouth and pick up	Standard Quality	4.00	Nos
121	Hermaphrodite caliper 150 mm manufactured from good quality carbon steel,heat treated points	Bharat/Sagar/Groz	201.00	Nos
122	Lapping plate (250 x 200 mm)	Luthra/Bharat/Groz	8.00	Nos
123	left cut snip 250mm & ISI certified	Jet/Ambitec/Groz	10.00	Nos
124	Pliers flat nose 150 mm with insulated sleeves & ISI certified	Taparia/Pye/Ambitec	24.00	Nos
125	Pliers round nose 100 mm	Taparia/Pye/Ambitec	34.00	Nos
126	Plums (Plum bob)	Jet/Ambitec/Taparia	40.00	Nos
127	Punch Round 3 mm dia	Jet/Ambitec/Taparia	6.00	Nos
128	Rawal plug 6mm of I.S.I. standard	Jet/Ambitec/Taparia	4.00	Nos
129	Screw driver150mm: Flat insulated blade dimension 6mm,Tip Dimension: 6.0 x 0.8mm (insulated with thick sleeve 15 cms)(ISI Standard / ISO certified)	Taparia/Pye/Ambitec	297.00	Nos
130	Pinch off tool, bar type for copper tube 6 to 20mm dia. chrome vanadium steel, chrome plated finish of I.S.I. standard.	Asian/Mastercool/P&M	2.00	Nos
131	Pipe cutting tool & ISI certified	Inder/Takiar/Humma	4.00	Nos
132	Plane smoothing cutters 50mm x 200mm	Jet/Anant/Ambitec	10.00	Nos
133	Plumbing hammer weight 200 gm of I.S.I. standard	Taparia/Pye/Ambitec	8.00	Nos
134	Screw driver 200 & 300 blade heavy duty , flat tip , insulated with PVC handle. Made of hardened good quality steel, confirming to ISO / ISI Standards. 2 nos. Each.	Taparia/Pye/Ambitec	34.00	Nos
135	Shear Tin Man's 450 mm x 600 mm & ISI certified	Jet/Taparia/Pye	4.00	Nos
136	Spanner adjustable 15 cm, made of drop forged high carbon steel, Confirming to ISO / ISI Standards.	Taparia/Pye/Ambitec	14.00	Nos
137	Tap & Die set in a wooden box, with placing arrangement to each Tap and Die, made of High Carbon steel, hardened and tempered, as per IS standards and with ISI mark —Metric 6-12mm	Humma/Halo/Takiar	3.00	Nos
138	Taps and Dies complete sets (5 types)	Humma/Halo/Takiar	5.00	Nos
139	Tool bit carbide assorted sizes on holder , clamp type	Miranda/Adisson/IT	20.00	Nos
140	Torque wrench (14 to 68 Nm). Complete set including sockets of relevant sizes packed in suitable PVC profied box. Made of good quality High carbon steel/ HSS, readings must be legible. Standard model Confirming to ISO / ISI Standards.	Taparia/Griphold/Ambit ec	5.00	Nos
141	Universal puller for removing pulleys, bearings, Drop forged & ISI certified	Taparia/Pye/Ambitec	6.00	Nos
142	Vice hand 50 mm jaw	Jet/Nike/Apex	7.00	Nos
143	Washer cutter- Hollow Punch for cutting gasket 6 mm,	Standard Quality	4.00	Nos

	8mm, 10mm, 12mm, 14mm, and 16mm set of 6 pieces.			
144	Wire Gauge (metric) & ISI certified	Omega/Kristeel/S.W.G	14.00	Nos
145	Copper bit soldering iron 0.25 kg	Standard Quality	20.00	Nos
146	Rawl plug tool with bit. No 10 ,(05mm)	Jet/Lovely/Takiar	4.00	Nos
147	Stud Extractor EZY- Out (suitable for 10-16mm studs) complet set with standard accessories. Made of hardened qulaity high speed steel. Confirming to ISO / ISI Standards.	Mega/Powergrip/Jet	16.00	Nos
148	Hand Hammer 1 kg with handle. Made of drop forged steel. Confirming to ISO / ISI Standards.	Taparia/Pye/Ambitec	3.00	Nos
149	Rawl plug tool with bit. No12 , (06 mm)	Jet/Lovely/Takiar	2.00	Nos
150	Tap & Die set in a wooden box, with placing arrangement to each Tap and Die, made of High Carbon steel, hardened and tempered, as per IS standards and with ISI mark –B. S. F., 1/4" to 1/2"- 1/4", 3/16, 5/16, 7/16, 1/2"	Humma/Halo/Takiar	3.00	Nos
151	Tap & Die set in a wooden box, with placing arrangement to each Tap and Die, made of High Carbon steel, hardened and tempered, as per IS standards and with ISI mark –B.S.W.- 1/4" to 1/2" - 1/4", 5/16", 3/8", 7/16", 1/2"-30320	Humma/Halo/Takiar	2.00	Nos
152	Try square 200mm,with stock of Cast iron and blade of high carbon steel hardened and tempered	Bharat/Sagar/Groz	65.00	Nos
153	Valve spring compressor universal& ISI certified	Viridi/Mega/CE	1.00	Nos
154	Clamps C 100 mm H C S/ Drop forged steel	Bharat/Sagar/Groz	5.00	Nos
155	Continuity tester: Digital continuity tester to test 12-250V alternating and direct voltage. (ISI Standard / ISO certified)	Taparia/Pye/Ambitec	12.00	Nos
156	File flat 20 cm bastard H C S with handle	JK with wooden handle	30.00	Nos
157	File square 25 cm second cut made of high carbon / high grade cast steel with well fitted PVC handle with ferrule. Body hardened and tempered and tang soft tempered. Confirming to ISO / ISI Standards.	JK with wooden handle	47.00	Nos
158	Firmer chisel 6, 12, 25 mm of I.S.I. standard (02 nos each) :12 mm	Jet/Natraaj/Takiar	8.00	Nos
159	Firmer chisel 6, 12, 25 mm of I.S.I. standard (02 nos each): 6 mm	Jet/Natraaj/Takiar	6.00	Nos
160	Hammer, ball pein 450 gms Selected carbon steel, hardened & tampered & fitted with good quality wooden handles. IS:841-1983	Taparia/Pye/Ambitec	75.00	Nos
161	Magneto spanner set (ISI Standard / ISO certified) Magneto Spanner Set of 11 Piece	Standard Quality	6.00	Nos
162	Pipe cutter miniature for copper tube 3mm to 16mm DIA with chrome vanadium steel ISI Standard chrome plated finish	Asian/Mastercool/P&M	10.00	Nos
163	Scissor blade 150 mm	Standard Quality	16.00	Nos
164	Tong, Close mouth and pick up	Standard Quality	4.00	Nos
165	Tool caulking set of 5	Standard Quality	5.00	Nos
166	Mallet hard wood 0.50 kg	Jet/Anant/Taparia	24.00	Nos
167	Spanner, adjustable 15cm, Drop forged & ISI certified	Taparia/Pye/Ambitec	2.00	Nos
168	Hand shear universal 250mm & ISI certified	Jet/Ambitec/Pye	5.00	Nos
169	Plumbing hammer weight 200 gm of I.S.I. standard	Taparia/Pye/Ambitec	4.00	Nos
170	Scraper half round 15 cm. Made of hardened qulaity high carbon steel with tempered blade with suitable wooden handle. Confirming to ISO / ISI Standards.	Bharat/Sagar/Groz	38.00	Nos
171	Scraper triangular 15 cm. Made of hardened qulaity	Bharat/Sagar/Groz	37.00	Nos

	high carbon steel with tempered blade with suitable wooden handle. Confirming to ISO / ISI Standards.			
172	Stud remover with socket handle	Jet/Ambitec/Pye	9.00	Nos
173	File Flat 250 mm Bastard with handle	JK with wooden handle	27.00	Nos
174	Hacksaw frame 200 to 300 mm adjustable	Jolly/Anant/Ambitec	155.00	Nos
175	Hammer plastic ISI certified	Taparia/Pye/Ambitec	20.00	Nos
176	Spanner Adjustable 300 mm, 15 degree	Taparia/Pye/Ambitec	14.00	Nos
177	Steel measuring tape-3 m	Freeman/venus/Yorker	16.00	Nos
178	File square 15 cm second cut made of high carbon / high grade cast steel with well fitted PVC handle with ferrule. Body hardened and tempered and tang soft tempered. Confirming to ISO / ISI Standards.	JK with wooden handle	101.00	Nos
179	Lathe tool bit 8mm X 75 mm.	Miranda/Adisson/IT	28.00	Nos
180	Screw driver plastic handle 10 mm tip x length 250mm blade made of high quality tempered chrome vanadium steel with high torque and hardness, handle made of high quality plastic grip IS:844-1979	Taparia/Pye/Ambitec	7.00	Nos
181	Screw driver 3 mm carbon tip, length 100mm insulated IS: 844-1779 high quality tempered chrome vanadium steel with high torque and hardness, handle made of high quality plastic grip IS:844-1979	Taparia/Pye/Ambitec	5.00	Nos
182	Knurling tool holder revolving head type with 3 pairs of HSS kurls(rough ,medium,fine).Type diamond & straight. 2 nos. Each.	Bharat/Sagar/Groz	2.00	Nos
183	Pipe vice to grip up to 77 mm is -2587 (cast steel)	Jet/Ambitec/Humma	9.00	Nos
184	Round nose cold chisel 9mm x100mm. Made of hardened qulaity forged alloy steel with tempered cutting edge with hexagonal body. Confirming to ISO / ISI Standards.	Jet/Lovely/Takiar	42.00	Nos
185	Inside spring caliper 150 mm manufactured from good quality carbon steel,heat treated points	Bharat/Sagar/Groz	102.00	Nos
186	Plier Combination insulated 210 mm drop forged chrome vanadium steel IS 3650-1981	Taparia/Pye/Ambitec	34.00	Nos
187	Scraper Flat 25cm with handle & HCS	Bharat/Sagar/Groz	10.00	Nos
188	Scraper Half Round 25cm with handle & HCS	Bharat/Sagar/Groz	10.00	Nos
189	Scriber straight with knurled grip 200x4 mm HCS, Hardened & tempered. ISI mark	Bharat/Sagar/Groz	159.00	Nos
190	Spanner D.E. 6 -26 mm set of 10 pcs. made of drop forged steel, Confirming to ISO / ISI Standards.	Taparia/Pye/Ambitec	2.00	Nos
191	Stakes (Round, Funnel, Square, Pipe of 3 kg each) types 02 nos each for sheet metal work	Standard Quality	3.00	Nos
192	Stillson wrench 200mm pipe wrench (stillson type) conforming to IS 4003- 1978 drop forged high grade steel, anti slip handle for comfort grip, induction hardened jaws, unique double spring system	Taparia/Pye/Ambitec	24.00	Nos
193	Stud extractor set of 3 & ISI certified	Mega/Powergrip/Jet	12.00	Nos
194	Taps and wrenches - UNC, UNF and metric. HSS & ISI certified	Humma/Halo/Takiar	6.00	Nos
195	Tin Cutter Carbon Steel, Drop forged , hardened & temperedsmith 400 mm.	Jet/Ambitec/Pye	2.00	Nos
196	Trammel 30 cm & ISI certified	Bharat/Sagar/Groz	10.00	Nos
197	Vice bench 15 cm jaws.double rib, heavy duty, fixed type, body made of grey cast iron, jaw plate of tool steel. Confirming to ISO / ISI Standards.	Jet/Ambitec/Lion	26.00	Nos
198	File flat 150 mm rough with handle	JK with wooden handle	20.00	Nos
199	File Flat 250 mm smooth with handle	JK with wooden handle	81.00	Nos
200	File round 20cm second cut made of high carbon /	JK with wooden handle	44.00	Nos

	high grade cast steel with well fitted PVC handle with ferrule. Body hardened and tempered and tang soft tempered. Confirming to ISO / ISI Standards.			
201	Screw driver plastic handle 10 mm tip x length 200mm blade made of high quality tempered chrome vanadium steel with high torque and hardness, handle made of high quality plastic grip IS:844-1979	Taparia/Pye/Ambitec	2.00	Nos
202	Screw driver plastic handle 6 mm tip x length 100mm blade made of high quality tempered chrome vanadium steel with high torque and hardness, handle made of high quality plastic grip IS:844-1979	Taparia/Pye/Ambitec	29.00	Nos
203	Wood rasp file half round 200 mm bastard	JK with wooden handle	32.00	Nos
204	Pinch of pliers/crimping pliers tool 6mm – 18mm DIA with handle trigger for quick release chrome with chrome vanadium steel ISI Standard	Asian/Mastercool/P&M	5.00	Nos
205	Puller with flexible arm 300 mm 3 legged Drop forged steel auto black finish, hardened & tempered, of I.S.I. standard	Taparia/Pye/Ambitec	13.00	Nos
206	Screw driver 250mm,heavy duty,tip insulated,plastic handle,10mm tip,as per IS:844-1979	Taparia/Pye/Ambitec	41.00	Nos
207	Instrumentation screw driver set Screw driver 100mm (set of 6 pcs) in plastic box	Taparia/Pye/Ambitec	15.00	Nos
208	Piercing Plier and reversing valve with changeable piercing needle and access fitting 6-18mm	Asian/Mastercool/P&M	29.00	Nos
209	Spring Bender external of size ¼", 5/16", 3/8", ½", 5/8" set of 5 pcs.	Standard Quality	5.00	Nos
210	Adjustable wrench 200 mm IS 6149-1984 grade II phosphate finish	Taparia/Pye/Ambitec	14.00	Nos
211	Adjustable wrench 250 mm IS 6149-1984 grade II phosphate finish	Taparia/Pye/Ambitec	14.00	Nos
212	Scissors stainless steel 250mm of I.S.I. standard	Standard Quality	20.00	Nos
213	Ratchet spanner of 4 in1 1/4", 3/16" square 9/16", 1/2" hex. Of ISI standard.	Taparia/Pye/Ambitec	7.00	Nos
214	Ring spanner set 6mm to 32 mm (6-7, 8-9, 10-11, 12-13, 14-15, 16-17, 18-19, 20-22, 21-23, 24-26, 25-28, 27-32) set of 12 Pieces Drop forged chrome vanadium steel, chrome plated finish. IS Number 2029 – 1998.	Taparia/Pye/Ambitec	8.00	Nos
215	Scissors 25cms (10"Stainless steel with brass handle)	Standard Quality	34.00	Nos
216	Hand vice 50 mm jaw	Jet/Nike/Apex	8.00	Nos
217	L-Allen key set 1.5,2,2.5,3,4,5,6,8 & 10 mm set of 9 pcs in box packing IS 3082 - 1988	Taparia/Pye/Ambitec	4.00	Nos
218	Philips screw driver set of five blades with neon taster – complete set in case ISI standard.	Taparia/Pye/Ambitec	45.00	Nos
219	Pipe Wrench stillson type drop forged steel 350 mm, ISI standard	Taparia/Pye/Ambitec	5.00	Nos
220	Ring Spanner 6 mm to 19 mm (6-7, 8-9, 10-11, 12-13, 14-15, 16-17, 18-19) set of 7 Pieces Drop forged chrome vanadium steel, chrome plated finish. IS Number 2029 – 1998.	Taparia/Pye/Ambitec	5.00	Nos
221	Scissors stainless steel 250mm of I.S.I. standard	Standard Quality	1.00	Nos
222	Scraper Triangular 25cm with handle & HCS	Bharat/Sagar/Groz	8.00	Nos
223	Tweezers – Bend tip, 15cm	Standard Quality	8.00	Nos
224	Flaring tool set type of size (3/16", ¼", 5/16", 3/8", ½", 5/8") with yoke made of chrome vanadium steel, chrome plated finish of I.S.I. standard.	Asian/Mastercool/P&M	7.00	Nos
225	Hammer Extractor type 250gms. with handle	Taparia/Pye/Ambitec	18.00	Nos
226	Adjustable wrench 150 mm IS 6149-1984 grade II	Taparia/Pye/Ambitec	16.00	Nos

	phosphate finish			
227	Hand reamer adjustable 10.5 to 11.25mm to 12.75mm, 12.75mm to 14.25mm & 14.25 to 15.75mm HSS complete set with handle & ISI certified.	Bharat/Sagar/Groz	11.00	Nos
228	Insulated screw driver 20cm x 9 mm blade & ISI certified	Taparia/Pye/Ambitec	56.00	Nos
229	File Half round 200 mm Second cut with Handle	JK with wooden handle	22.00	Nos
230	File knife edge 15cm smooth, made of high carbon / high grade cast steel with well fitted PVC handle with ferrule. Body hardened and tempered and tang soft tempered. Confirming to ISO / ISI Standards.	JK with wooden handle	16.00	Nos
231	Insulated screw driver 30cm x 9mm blade & ISI certified	Taparia/Pye/Ambitec	16.00	Nos
232	Philips Screw Driver Type set of 5 pieces 100 mm to 300 mm (Taparia make)	Taparia/Pye/Ambitec	101.00	Nos
233	Vice grip pliers, Drop forged & ISI certified, size 175mm to 250 mm	Taparia/Pye/Ambitec	12.00	Nos
234	Wall jumper octagonal (37mm X 450mm and 37 X 600mm) a set of Two pcs.	Standard Quality	6.00	Nos
235	Crimping tool (pliers) Modular Crimping Tool that cuts, strips and crimps RJ45 modular cables. Crimping Tool 4P, 6P, 8P (3 in 1) Item weight: 249 g; Product dimensions: 27.2 x 10.8 x 2.4 cm (ISI Standard / ISO certified)	Jainson/Multitec/Braco	24.00	Nos
236	Desoldering Gun, Heat proof nozzle, PVC type 250mm	Noel/Hakko/Soldron	12.00	Nos
237	Scissor blade 200 mm	Standard Quality	16.00	Nos
238	Swaging tool punch hammer type set of size 3/16", ¼", 5/16", 3/8", ½", 5/8" set of six pieces, chrome vanadium steel, chrome plated finish of I.S.I. standard.	Asian/Mastercool/P&M	1.00	Nos
239	Clamps C 150 mm H C S	Bharat/Sagar/Groz	10.00	Nos
240	Clamps C 200 mm H C S	Bharat/Sagar/Groz	10.00	Nos
241	Hand operated crimping tool for crimping up to 4mm & for crimping up to 10mm with insulated handle & ISI certified	Jainson/Multitec/Braco	18.00	Nos
242	knife switch DPDT fitted with fuse terminals 16 amp	Compac/CE/AE	10.00	Nos
243	Capillary Plug gauge	Asian/Mastercool/Cheire	13.00	Nos
244	Drill S.S. Twist block set of 05 pcs. (2 mm to 06 mm) in step of 01 mm	IT/JK/Addison	20.00	Nos
245	File round 200 mm Second cut with Handle	JK with wooden handle	10.00	Nos
246	T-Allen key set 4mm & 5mm of I.S.I. standard set of 2 pcs	Taparia/Pye/Ambitec	15.00	Nos
247	knife switch TPDT fitted with fuse terminals 16 amp, 440v	Compac/CE/AE	10.00	Nos
248	File Flat 20 cm bastard made of high carbon / high grade cast steel with well fitted PVC handle with ferrule. Body hardened and tempered and tang soft tempered. Confirming to ISO / ISI Standards.	JK with wooden handle	50.00	Nos
249	Hack saw frame Adjustable 20-30 cm H C S	Jolly/Anant/Ambitec	2.00	Nos
250	Spanner D.E. set of 12 pieces (6mm to 32mm), Chrome Vanadium & ISI certified	Taparia/Pye/Ambitec	5.00	Nos
251	Plier round nose 15 cm with insulated sleeves & ISI certified	Taparia/Pye/Ambitec	8.00	Nos
252	Pliers combination 20 cm with insulated sleeves & ISI certified	Taparia/Pye/Ambitec	110.00	Nos
253	Wood rasp file half round 200 mm bastard	JK with wooden handle	4.00	Nos
254	File flat 200 mm second cut with handle	JK with wooden handle	94.00	Nos

255	Table vice 100 mm jaw (cast steel) double ribs heavy duty	Jet/Ambitec/Humma	44.00	Nos
256	Tap wrench (adjustable) ,forged steel body ,handle with knurled ends tap holding capacity M4 to M20. length minimum 370mm.	Humma/Halo/Takiar	18.00	Nos
257	Wooden mallet /Nylon mallet (500 gm good finish) Soft faced hammer with handle 50mm IS 10838-1984	Jet/Anant/Pye	11.00	Nos
258	Swaging tool screw type, with adopter consists of flaring bar 3/16", ¼", 5/16", 3/8", ½", 5/8" with screw type yoke with adopters detachable with key, set of six pieces, chrome vanadium steel, chrome plated finish, in a casing of I.S.I. standard.	Asian/Mastercool/P&M	14.00	Nos
259	File triangular 20 cm second cut made of high carbon / high grade cast steel with well fitted PVC handle with ferrule. Body hardened and tempered and tang soft tempered. Confirming to ISO / ISI Standards.	JK with wooden handle	41.00	Nos
260	Piercing Plier and reversing valve with changeable piercing needle and access fitting 6-18mm	Asian/Mastercool/P&M	10.00	Nos
261	Tap set (B.S.W) with matching drills 1/4" to 5/8" set in case complete set with ISI standard.	Humma/Halo/Takiar	13.00	Nos
262	Circlip pliers expanding and contracting type 15 cm H C S	Taparia/Pye/Ambitec	22.00	Nos
263	Circlip pliers expanding and contracting type 20 cm H C S	Taparia/Pye/Ambitec	22.00	Nos
264	Diagonal cutter 150 mm of ISI standard	Taparia/Pye/Ambitec	10.00	Nos
265	Sniper, sheet metal curved nose, 200mm long , 6mm thick Drop Forged with Spring heavy duty with ISI standard.	Jet/Ambitec/Pye	31.00	Nos
266	Tap set (metric) with matching drills 3 to 16mm set in case complete set with ISI standards.	Humma/Halo/Takiar	11.00	Nos
267	Hammer copper 1kg wih handle & ISI certified	Taparia/Pye/Ambitec	31.00	Nos
268	Wire Striper 20cm able to spill out insulation automatically with conductor size adjustment ,capacity to remove insulation up to 4 sq. mm	Powergrip/Multitec/Pye	9.00	Nos
269	Chisel cold 9mmx150mm cross cut & 9mmx150mm Diamond Made of hardened qulaity forged alloy steel with tempered cutting edge with hexagonal body. Set of 2 each. Confirming to ISO / ISI Standards.	Jet/Lovely/Takiar	89.00	Nos
270	Flat Cold Chisel 19 mm x 150mm. Made of hardened qulaity forged alloy steel with tempered cutting edge with hexagonal body. Confirming to ISO / ISI Standards.	Jet/Ambitec/Taparia	139.00	Nos
271	Hammer ball Pein 0.5 kg with handle, Drop forged	Taparia/Pye/Ambitec	149.00	Nos
272	Safety Glasses / safety goggles clear glass (good quality) for grinding & lathe work, confirming to ISO / ISI standards	Esab/Zoom/Ador	396.00	Nos
273	Screw driver, heavy duty 300 mm x 10mm manufactured from high carbon steel with hardened tip & PVC handle.	Taparia/Pye/Ambitec	10.00	Nos
274	Steel rule 30 cm graduated and properly etched for accurate measurement. both in English & Metric units	Omega/Kristeel/Sharp	227.00	Nos
275	Table vice 100 mm jaw (cast steel) double ribs heavy duty	Jet/Ambitec/Lion	8.00	Nos
276	Tube cutter with reamer up to 25 mm of I.S.I. standard	Asian/MastercoolP&M	10.00	Nos
277	Spanner socket with speed handle, T-bar, ratchet and universal upto 32 mm , Chrome Vanadium & ISI certified	Taparia/Pye/Ambitec	113.00	Nos

278	Hand file 20 cm second cut file HCS & ISI certified	JK with wooden handle	28.00	Nos
279	Screw Driver 15cm long, flat tip of 6.5mm insulated with PVC handle. Made of hardened good quality steel, confirming to ISO / ISI Standards.	Taparia/Pye/Ambitec	60.00	Nos
280	Pliers long nose 200 mm with insulated drop forged ISI standard	Taparia/Pye/Ambitec	37.00	Nos
281	Steel Tape, measuring ½" x 10-Metre long, graduation in mm with ISI standards.	Venus/Freeman/Yorker	25.00	Nos
282	Thread Cutter (steel coated) black flexcible without spring	Standard Quality	34.00	Nos
283	Connecting screwdriver 100 mm Flat (Connecting) screw driver 100mm (10 cms.) Blade diameter 5mm,Tip diameter5.0 X 0.6mm(ISI Standard / ISO certified)	Taparia/Pye/Ambitec	90.00	Nos
284	Pliers side cutting insulated 150 mm	Taparia/Pye/Ambitec	17.00	Nos
285	Line Tester heavy duty 500 V IS 5579 - 1985	Taparia/Pye/Ambitec	76.00	Nos
286	Knife pure stainless steel 150mm foldable type, twin blades of I.S.I. standard.	Standard Quality	32.00	Nos
287	Screw driver set (set of 5)6.0 X 0.8, 3.5 X 0.5, Philips 0, square poker, Philips 1(ISI Standard / ISO certified)(Philips is not a brand but size)	Taparia/Pye/Ambitec	87.00	Nos
288	T-Allen key set 4mm & 5mm of I.S.I. standard (10 nos each)	Taparia/Pye/Ambitec	15.00	Nos
289	Insulated combination pliers 150 mm Insulated pliers with thick sleeve, with joint cutter 150mm(15 cms.)(ISI Standard / ISO make)	Taparia/Pye/Ambitec	65.00	Nos
290	Long nose pliers 150 mm Long nose pliers: insulated with thick sleeve 150 mm (15 cms.) (ISI Standard / ISO certified)	Taparia/Pye/Ambitec	70.00	Nos
291	Hammer ball pain 250 gms. With handle	Taparia/Pye/Ambitec	113.00	Nos
292	Tenon Saw 250 mm	Anant/Jet/Ambitec	19.00	Nos
293	Stillson wrench 350 mm .pipe wrench (stillson type) conforming to IS 4003- 1978 drop forged high grade steel, anti slip handle for comfort grip, induction hardened jaws, unique double spring system	Taparia/Pye/Ambitec	47.00	Nos
294	Insulated Combination Plier 200 mm withstand up to 500 volts	Taparia/Pye/Ambitec	129.00	Nos
295	Pliers flat nose, insulated 165mm drop forged chrome vanadium steel IS:3552-1989	Taparia/Pye/Ambitec	48.00	Nos
296	Wire cutter and stripper 125 mm insulated & ISI certified	Taparia/Pye/Ambitec	57.00	Nos
297	Ball peen Hammer 220 gms with wooden handle	Taparia/Pye/Ambitec	67.00	Nos
298	Heavy duty screw driver 200 mm X 08 mm with celluloid handle	Taparia/Pye/Ambitec	4.00	Nos
299	Insulated Side cutting Plier 150 mm able to cut 12 swg G.I. wire without damaging cutting edges. Withstand up to 500 volts	Taparia/Pye/Ambitec	50.00	Nos
300	Standard Screw Driver Set 100mm 150mm,200mm, 250mm 300mm set of 5	Taparia/Pye/Ambitec	54.00	Nos
301	Screw driver 100 mm X 04mm with celluloid handle	Taparia/Pye/Ambitec	90.00	Nos
302	wooden mallet (1kg.(75mm x15mm))	Jet/Anant/Ambitec	20.00	Nos
303	Allen Key Set of 12 pieces (2mm to 14 mm) H C S & as per IS standards	Taparia/Pye/Ambitec	78.00	Nos
304	File half-round 15cm second-cut made of high carbon / high grade cast steel with well fitted PVC handle with ferrule. Body hardened and tempered and tang soft tempered. Confirming to ISO / ISI Standards.	JK with wooden handle	89.00	Nos

305	Divider spring joint 150mm of I.S.I. standard	Bharat/Sagar/Groz	226.00	Nos
306	S.S Wire brush 3 rows	Standard Quality	102.00	Nos
307	S.S Wire brush 5 rows	Standard Quality	102.00	Nos
308	Terminal screw Driver (75 mm (Connector))	Taparia/Pye/Ambitec	42.00	Nos
309	De- soldering pump Manually operated with press button PTFE Nozzle	Noel/Hakko/Soldron	69.00	Nos
310	Electrician's connector screw driver 250 mm X 04 mm insulated Thin stem with celluloid handle	Taparia/Pye/Ambitec	178.00	Nos
311	File flat 25cm Second cut, double cut made of high carbon / high grade cast steel with well fitted PVC handle with ferrule. Body hardened and tempered and tang soft tempered. Confirming to ISO / ISI Standards.	JK with wooden handle	141.00	Nos
312	Hammer, ball pein, 0.45 kg head made of drop-forged carbon steel, weight mentioned on it's cheek with wooden handle. Confirming to ISO / ISI Standards.	Taparia/Pye/Ambitec	61.00	Nos
313	Wooden mallet small 500gms IS-2022	Jet/Ambitec/Pye	39.00	Nos
314	Hammer, ball pein, 0.22 kg head made of drop-forged carbon steel, weight mentioned on it's cheek with wooden handle. Confirming to ISO / ISI Standards.	Taparia/Pye/Ambitec	2.00	Nos
315	File flat 25cm Smooth, single cut made of high carbon / high grade cast steel with well fitted PVC handle with ferrule. Body hardened and tempered and tang soft tempered. Confirming to ISO / ISI Standards.	JK with wooden handle	156.00	Nos
316	Hacksaw frame fixed 30cm long (with suitable Pistol Grip PVC handle) with fixed and adjustable blade holders set. Made of good quality steel, confirming to ISO / ISI Standards.	Jolly/Ambitec/Anant	330.00	Nos
317	Electrician's connector screw driver 100 mm X 03mm celluloid handle and Thin insulated stem.	Taparia/Pye/Ambitec	34.00	Nos
318	Insulated Combination Plier 200 mm withstand up to 500 volts	Taparia/Pye/Ambitec	34.00	Nos
319	Thread Cutter (steel coated) black flexcible without spring	Standard Quality	34.00	Nos
320	Neon tester 500 Volts 130mm with neon bulb	Taparia/Pye/Ambitec	353.00	Nos
321	Tip cleaner (to clean the orifice nozzle in gas welding)	Standard Quality	158.00	Nos
322	Try square 150mm blade made of hardened good quality steel with included angle of 90°. With burr slot, confirming to ISO standards.	Bharat/Sagar/Groz	320.00	Nos
323	Tongs flat 350 mm. Made of hardened high carbon steel/ forged steel. Confirming to ISO / ISI Standards.	Standard Quality	89.00	Nos
324	Double bladed electricians knife folding type 4" blade. Stainless steel	Standard Quality	150.00	Nos
325	Trowel c 125 IS 6013 with wooden handle & ferrule	Standard Quality	96.00	Nos
326	Tweezers 100mm Tweezers insulated Stainless steel Antimagnetic with strong straight fine point tip 100mm(10cms) (ISI Standard / ISO certified)	Standard Quality	209.00	Nos
327	Bradawl (poker)150 mm X 6mm. With wooden handle	Ambitec/Taparia/Pye	22.00	Nos
328	Insulated Combination Plier 200 mm withstand up to 500 volts	Taparia/Pye/Ambitec	47.00	Nos
329	Hammer ball pein 1 kg with wooden handle, Drop forged	Taparia/Pye/Ambitec	181.00	Nos
330	Chipping Hammer 250grms	Jet/Diamond/Taparia	163.00	Nos
331	Centre punch 150 x 9mm	Bharat/Sagar/Groz	255.00	Nos
332	Centre punch 100mm	Bharat/Sagar/Groz	299.00	Nos
333	level spirit wooden 300mm	Freeman/Taparia/Stanle	43.00	Nos

		Y		
334	cutting plier 200mm IS-3650	Taparia/Pye/Ambitec	45.00	Nos
335	Steel tape (5mtr)	Freeman/venus/Yorker	306.00	Nos
336	Combination set 200mm	Mitutoyo/Insize/Baker	1.00	Nos
337	File half round , rough 300mm	JK with wooden handle	2.00	Nos
338	chisel cold flat 20mm X 300mm	Jet/Ambitec/Taparia	8.00	Nos
339	chisel cross cut 6X150mm IS 402	Jet/Lovely/Takiar	2.00	Nos
340	chisel round nose 3X150mm IS 402	Jet/Lovely/Takiar	2.00	Nos
341	chisel diamond point 6X150mm	Jet/Lovely/Takiar	2.00	Nos
342	Punch letter set 3mm set(A toZ) set of 26 pieces made of hardened good quality steel confirming to ISO/ISI standars hardened points and toughened heads	Bharat/Sagar/Groz	3.00	Nos
343	Punch number set 3mm set(0 to 9)set of 10 pieces made of hardened good quality steel confirming to ISO/ISI standars hardened points and toughened heads	Bharat/Sagar/Groz	2.00	Nos
344	Spanner monkey up to 50mm	Taparia/Pye/Ambitec	7.00	Nos
345	Stove melting solder 1 litre	Prabhat/Eco/Bharat	4.00	Nos
346	cutter pipe , wheel type 6mm to 25mm	Inder/Takiar/Foreman	1.00	Nos
347	snip straight 250mm	Jet/Ambitec/Pye	9.00	Nos
348	Odd leg calliper 200mm	Bharat/Sagar/Groz	2.00	Nos
349	Mortise chisel 15mm	Jet/Lovely/Takiar	2.00	Nos
350	Firmer chisel 6mm,12mm,20mm,25mm set of 4 pcs	Jet/Lovely/Takiar	5.00	Nos
351	Scribing gauge	Bharat/Sagar/Groz	1.00	Nos
352	Pot -hook	Standard Quality	2.00	Nos
353	D.E spanner 7X8, 10X11,13X17,19X22,24X27 IS 2028	Taparia/Pye/Ambitec	2.00	Nos
354	Branch gimlets with handle	Ambitec/Taparia/Pye	4.00	Nos
355	Bending Spring (set of 5)	Asian/Professial/P&M	7.00	Nos
356	Plumbers metal melting pot 10kg	Standard Quality	2.00	Nos
357	stilson pattern pipe range 450 mm to take pipe up to 52mm dia IS 4003	Ambitec/Taparia/Pye	2.00	Nos
358	Stilson pattern pipe wrenches 30mm to take pipe 20mm to 32mm	Taparia/Pye/Ambitec	2.00	Nos
359	Chain Pipe wrench 90mm - 650 IS 4123	Taparia/Pye/Ambitec	1.00	Nos
360	Drill twist (straight shank) 3mm to 6mm	IT/JK/Addison	3.00	Nos
361	Rachet pipe die 15mm to 32mm	Humma/Halo/Takiar	1.00	Nos
362	Double face hammers 1kg	Taparia/Pye/Ambitec	4.00	Nos
363	Dormat,Girmale	Standard Quality	3.00	Nos
364	File half round 2nd cut 250mm	JK with wooden handle	31.00	Nos
365	File round second cut (150mm)	JK with wooden handle	56.00	Nos
366	Bar magnet	Standard Quality	2.00	Nos
367	Horse shoe magnet	Standard Quality	2.00	Nos
368	Crimping tool (25mm)	Jainson/Multitec/Braco	2.00	Nos
369	Rubber matting 2meterX1meterX9mm	ISI Mark	4.00	Nos
370	Rawal punch set (8,10mm)	Jet/Ambitec/Pye	20.00	Nos
371	Plier round nose insulated 200mm	Taparia/Pye/Ambitec	10.00	Nos
372	Screw driver heavy duty (300mm)	Taparia/Pye/Ambitec	15.00	Nos
373	File flat (300mm rough)	JK with wooden handle	65.00	Nos
374	File round (300mm 2nd cut)	JK with wooden handle	10.00	Nos
375	Caliper inside 15cm spring made of hardened good quality steel,confirming to ISO standars	Bharat/Sagar/Groz	131.00	Nos
376	Caliper outside 15cm spring made to hardened good quality steel, confirming to ISO standars	Bharat/Sagar/Groz	244.00	Nos
377	divider spring 15cm made of hardened good quality steel, confirming toISO standards	Bharat/Sagar/Groz	111.00	Nos
378	Straight scribe 15cm 12degree point angle with serrated/ knurled body.Made of hardened good	Bharat/Sagar/Groz	363.00	Nos

	quality high carbon steel confirming to ISO standard			
379	angle plate size 200X100X200mm	Bharat/Sagar/Groz	14.00	Nos
380	Electric testing screw driver	Taparia/Pye/Ambitec	48.00	Nos
381	engineers square 15cm Blade	Bharat/Sagar/Groz	25.00	Nos
382	file square 30cm round	JK with wooden handle	16.00	Nos
383	File triangular 15cm second cut	JK with wooden handle	70.00	Nos
384	Hammer chipping 0.25 kg	Jet/Diamond/Taparia	15.00	Nos
385	prick punch 15cm	Bharat/Sagar/Groz	24.00	Nos
386	Punch letter 4mm (Number)	Bharat/Sagar/Groz	7.00	Nos
387	Straight edge gauge 2 ft	Bharat/Sagar/Groz	14.00	Nos
388	straight edge gauge 4 ft.	Luthra/Bharat/Groz	12.00	Nos
389	File half round 15 cm 2nd cut made of high carbon / high grade cast steel with well fitted Pming to ISOVC handle with ferrule .Body hardened and tempered and tang soft tempered .confirming to ISO/ISI standard	JK with wooden handle	163.00	Nos
390	Dot slot punch 10cm long , knurled body made of hardened good quality steel.confirming ISO/ISI standards	Bharat/Sagar/Groz	74.00	Nos
391	File,round fine double cut (150mm)	JK with wooden handle	87.00	Nos
392	insulated combination plier 200mm	Taparia/Pye/Ambitec	9.00	Nos
393	bench vice 300mm jaw	Jet/Ambitec/Humma	30.00	Nos
394	snip sheet metal staight nose 200mm	Jet/Ambitec/Taparia	22.00	Nos
395	anvil 100X200mm	Double horn Type Weight : 50Kg Should have Hardy and pitch holes	3.00	Nos
396	tin smith 400mm	Jet/Ambitec/Pye	5.00	Nos
397	D.E Spanner (6-32) mm	Taparia/Pye/Ambitec	10.00	Nos
398	Service oscillator Audio Frequency range : 2Hz to 200KHz in four decade ranges Output amplitude : 100mV - 5V peak to peak variable Wave forms : Sine, Square, Triangular Power Supply : 220volts /50Hz, +-10%	Nvis/Voltec/Aplab	4.00	Nos
399	flaring tools set singe type for tube 4.7mm to 16mm O.D.	Asian/Mastercool/P&M	7.00	Nos
400	spanner D.E. 6mm to 19mm set of 7 pcs of ISI standard	Taparia/Pye/Ambitec	4.00	Nos
401	valve key handle 4.7mm and 6.4mm square	Standard Quality	7.00	Nos
402	pipe/tube bender lever type 3-16mm	Asian/Mastercool/P&M	2.00	Nos
403	spanner D.E. 19mm to 31.8mm	Taparia/Pye/Ambitec	8.00	Nos
404	pipe wrench 350mm	Taparia/Pye/Ambitec	10.00	Nos
405	gas leak detector for halogen gas	Asian/Mastercool/HLD	14.00	Nos
406	spirit level precision mettalic 200mm	Freeman/Asian/Venus	12.00	Nos
407	refrigerant cylinder 2.5kg	Rama/CE/Asian	9.00	Nos
408	heating kit with infrared bulb with 200watts	Philiphs/Medigold /Infra	10.00	Nos
409	filler guage 0.05mm to 1mm	Bharat/Sagar/Groz	12.00	Nos
410	wire guage mettalic and with worth steelplate emborsing converse with british and metric	Kristeel/Omega/S.W.G	7.00	Nos
411	cylinder 134a -5kg	Rama/CE/Asian	2.00	Nos
412	Drill twist straight shank 1.5 to 12mm set .serlally increased by 0.5mm (made from high speed steel) set of 22 pieces point angles must be 118 degree ,helix angle may be from 16 to 30 degree with suitable stand with size marking confirming to IS 5101 standard	IT/JK/Addison	3.00	Nos
413	Drill twist straight shank 1.8 to 15mm pieces .serlally increased by 0.5mm (made from high speed steel) set	IT/JK/Addison	1.00	Nos

	of 22 pieces point angles must be 118 degree ,helix angle may be from 16 to 30 degree with suitable stand with size marking confirming to IS 5101 standard			
414	Taps and dies complete set in box with worth size from 1/4 " to 1" along with tap wrench and die stock made of good quality tool steel confirming to ISO/ISI std	Humma/Halo/Takiar	3.00	Nos
415	file swiss type needle set of 12 with assorted shapes in a contoured PVC/ lether pack point made of high carbon / high grade cast steel confirming to ISO /ISI standard	JK with wooden handle	13.00	Nos
416	file half round 25cm second cut made of high carbon / high grade cast steel with well fitted PVC handle with ferrule.Body hardened and tempered and tang soft tempered.confirming to ISO /ISI standard	JK with wooden handle	54.00	Nos
417	file half round 25cm bastard made of high carbon / high grade cast steel with well fitted PVC handle with ferrule.Body hardened and tempered and tang soft tempered.confirming to ISO /ISI standard	JK with wooden handle	71.00	Nos
418	file half round 30cm second cut made of high carbon / high grade cast steel with well fitted PVC handle with ferrule.Body hardened and tempered and tang soft tempered.confirming to ISO /ISI standard	JK with wooden handle	131.00	Nos
419	card file (file cleaner), with steel wired mesh . Standard size with wood / PVC handle 3"x5" brass or steel wire	JK with wooden handle	18.00	Nos
420	soldering iron, hand 350 gm V shape hatchet type with copper head and backlite handle	Standard Quality	4.00	Nos
421	clamp tool maker 5cm & 7.5cm set of 2 .made of drop forgue quality carbon steel confirming ISO/ISI standard	Bharat/Sagar/Groz	8.00	Nos
422	Taper shank twist drill 12mm to 25mm serially increasing by 1.5mm &25mm(made from suitably heat treated high speed steel) set of 10 pcs in suitable packings. Angle must be 118 degree helix angle may be from 16 to 30 degree .confirming to IS 5101 standard	IT/JK/Addison	3.00	Nos
423	Pipe wrench 40cm made of good quality casrt steel confirming to ISO/ISI std	Taparia/Pye/Ambitec	4.00	Nos
424	wheel dresser (one for 4 units) diamond type .confirming to ISO/ISI standards	Bharat/Sagar/Groz	3.00	Nos
425	Prick punch , 100mm, point angle 30 degree made of hardened high carbon steel with seratted body.confirming to ISO/ISI std	Bharat/Sagar/Groz	107.00	Nos
426	snips straight 25cm capable to cut sheets up to 22 SWG. Made of high carbon steel .confirming to ISO/ISI	Jet/Ambitec/CE	12.00	Nos
427	lathe tool bit 6mm X75mm	Miranda/Adisson/IT	28.00	Nos
428	lathe tool bit 10mm X85mm	Miranda/Adisson/IT	20.00	Nos
429	Steel Rule 150 mm (metric and English Marking):Material stainless steei(ISI)	Omega/Kristeel/Sharp	64.00	Nos
430	Universal scribing block 250 mm plier	Bharat/Sagar/Groz	4.00	Nos
431	Vee block with clamp pair	Bharat/Sagar/Groz	4.00	Nos
432	Feeler gauge english, leaf type, blades. 0.05mm to 0.3mm by 0.05 and 0.4mm to 1mm by 0.1mm-13leaves	Vetpex/Atul/Sagar	5.00	Nos
433	Slip Gauges (workshop grade)	Mitutoyo/Insize/HG	2.00	Nos
434	Snap gauge 4mm Tungstun carbide grounded and precision laps	Mitutoyo/Insize/HG	2.00	Nos
435	calliper spring joint inside 150mm	Bharat/Sagar/Groz	58.00	Nos

436	Odd leg calliper 150mm	Bharat/Sagar/Groz	78.00	Nos
437	SURFACE PLATE 45 X 45CM.	Luthra/Omega/Bagson	2.00	Nos
438	Surface gauge universal 150mm	Bharat/Sagar/Groz	18.00	Nos
439	Round punch high carbon steel (3mm, 4mm, 6mm) set of 03 pcs	Jet/Ambitec/Pye	16.00	Nos
440	Electrical drill portable drill with chuck and key (capacity 13mm) of ISI standard	Bosch/Black&Decker/Dewalt	10.00	Nos
441	Tape measuring graduation in mm (2 m)	Venus/Freeman/Yorker	8.00	Nos
442	Knife folded stainless steel 150 mm	Standard Quality	42.00	Nos
443	swaging tool screw type with adapter set of size of tube 4.7mm to 16 mm O.D.	Asian/Mastercool/P&M	15.00	Nos
444	Pinch of tool for copper tube 6mm to 18 mm dia heavy duty ISI standard	Asian/Mastercool/P&M	4.00	Nos
445	Standard steel Rule 15cms made of stainless/spring steel with its surface satin chrome finish.LC =0.5mm, with metric & british graduations.Confirming to ISO/ISI standards.	Omega/Kristeel/Sharp	86.00	Nos
446	Hammer ball pein,0.22 kg head made of drop forged carbon steel, weight mentioned on its cheek with wooden handle. Confirming to ISO/ISI standards	Taparia/Pye/Ambitec	207.00	Nos
447	Standard steel Rule 30cms made of stainless/spring steel with its surface satin chrome finish.LC =0.5mm, with metric & british graduations.Confirming to ISO/ISI standards.	Omega/Kristeel/Sharp	102.00	Nos
448	File Flat 30 cm second cut made of high carbon / high grade cast steel with well fitted PVC handle with ferrule. Body hardened and tempered and tang soft tempered. Confirming to ISO / ISI Standards.	JK with wooden handle	10.00	Nos
449	Micrometer 25-50 mm outside. Least count- 0.01 mm. Complete with test piece, operation manual, etc. in a suitable box. Anvil and spindle made of alloy steel with their measuring faces made of tungston carbide steel, frame made of malleable cast iron or drop forged steel. Confirming to ISO / ISI Standards.	Mitutoyo/Insize/Baker	6.00	Nos
450	inside micrometer 25-50 with extension rods. Complete with test piece operation manual,etc.in a suitable box. Anvil and spindle made of alloy steel with their measuring faces made of tungston carbide steel, frame made of malleable cast iron or drop forged steel. Confirming to ISO / ISI Standards.	Mitutoyo/Insize/Baker	4.00	Nos
451	wing compass 25.4cm or 30cm.made of hardened and good quality steel confirming to ISO standard	Bharat/Sagar/Groz	7.00	Nos
452	swage block 35X35X12cm.Made of hardened high carbon steel .confirming to SIO/ISO standard	REMS/CE/Amcon	2.00	Nos
453	Leather apron standard size used to forging .confrming toISO/ISI standars	Esab/L&T/Ador	4.00	Nos
454	carbide wear block 1mm-2mm .confirming to ISO/ISI standard	IT/JK/Adisson	11.00	Nos
455	adjustable pipe chain tong to take pipes upto 300mm with heavy duty roller chain made of specialised chain alloy hardened head with griping parts ,teeth/groves to hold diameters of pipes upto 300mm and suitable hardened steel handle confirming to ISO/ISI standard	Taparia/Pye/Ambitec	4.00	Nos
456	Soldering iron, exchangeable copper tip 65 watts ISI standard	JK/Soldron/Toni	28.00	Nos
457	Small Crimping tool(assorted) 10 to 100mm	Jainson/Multitec/Braco	94.00	Nos
458	Bench vice 6 "jaw	Jet/Ambitec/Lion	8.00	Nos
459	chisel 10cm flat	Jet/Ambitec/Taparia	21.00	Nos

460	Glow plug tester	Allsun/Gunson/CE	8.00	Nos
461	set of stock and dies-metric in sets	Humma/Halo/Takiar	10.00	Nos
462	sheet metal gauge	Omega/Kristeel/S.W.G	10.00	Nos
463	surface gauge with dial test indicator plunger type i.e 0.01 mm	Mitutoyo/Insize/Baker	29.00	Nos
464	granite surface plate 1600x1000 with stand and cover in isi standards	Luthra/Omega/Bagson	6.00	Nos
465	hand saw 450mm	Anant/Ambitec/Taparia	2.00	Nos
466	PLANE SMOTHING ,METAL 200 MM.x 50 MM CUTTER	Jet/Anant/Ambitec	1.00	Nos
467	MALLET MEDIUM SIZE	Jet/Anant/Ambitec	2.00	Nos
468	Drill point angle gauge	Kristeel/Sharp/Omega	9.00	Nos
469	Angle plate adjustable 250X150X175	Apex/Bharat/Jet	6.00	Nos
470	Dial gauge type 1Gr.A (complete with clamping devices and with magnetic stand)	Mitutoyo/Insize/Baker	25.00	Nos
471	Depth micrometer 0 to 25 mm	Mitutoyo/Insize/Baker	21.00	Nos
472	vacuum gauge to read 0 to 760mm of Hg	Mega/Trisco/Spaco	12.00	Nos
473	Screw driver set of 5 pieces in different sizes as required for sewing machine	Taparia/Pye/Ambitec	8.00	Nos
474	Hammer Ball Peen (0.50 kg.) with wooden handle	Taparia/Pye/Ambitec	44.00	Nos
475	File triangular (150mm 2nd cut) with handle	JK with wooden handle	10.00	Nos
476	Foot print Grip (250mm)	Ambitec/Ambika/Taparia	6.00	Nos
477	Electric Soldering Iron 65 W	JK/Toni/Soldron	38.00	Nos
478	Three wheel Pipe Cutter to Cut G.I. Pipes above 50 mm dia.	Inder/Takiar/Foreman	1.00	Nos
479	Centre drill/Combination Drill A1 to 5 Manufactured from H.S.S.	IT/JK/Addison	1.00	Nos
480	Hammer, ball pein, 250g head made of drop-forged carbon steel, weight mentioned on it's cheek with wooden handle. Confirming to ISO / ISI Standards.	Taparia/Pye/Ambitec	48.00	Nos
481	Universal Surface guage ,80 L x 65 w x 300mm Height. Confirming to ISO / ISI Standards.	Bharat/Sagar/Groz	1.00	Nos
482	Drill chuck 12mm cap. with arbour and key	Sanou/IT/Sharp	5.00	Nos
483	Reamer machine straight flute, set of 6 to 25 mm in 1mm ,with morse taper .Material:- HSS (20 pieces) Confirming to IS standard.	Bharat/Sagar/Groz	2.00	Nos
484	Tool bit 12 x 150 mm sq. assorted shaped	Miranda/Adisson/IT	15.00	Nos
485	Oil stone 12 mm sq. X 100 long fine	Carborandum	24.00	Nos
486	Die handle for round Die 1", with 3 screws & knurled ends	Humma/Halo/Takiar	4.00	Nos
487	Grinding wheel ajax type for grinding carbide tool ,Wheel size :- 180 x 25 x 31.75 mm.	Carborandum	2.00	Nos
488	Rubber hose clips 1/2"	Standard Quality	74.00	Nos
489	Rubber hose oxygen 8 mm dia X 10 Mts long as per BIS	Esab/L&T/Ador	37.00	Nos
490	Arc welding cables multi cored copper 600 amp as per BIS	Esab/L&T/Ador	214.00	Nos
491	Divider 200mm spring. Made of hardened good quality steel, confirming to ISO standards.	Bharat/Sagar/Groz	178.00	Nos
492	Magnifying glass 100 mm . dia	Standard Quality	7.00	Nos
493	Universal Weld measuring gauge	Kristeel/Omega/Sharp	11.00	Nos
494	Earth clamp 600A	Esab/L&T/Ador	24.00	Nos
495	File triangular 15 cm second cut H C S with handle	JK with wooden handle	8.00	Nos
496	Flat file 25 cm second cut H C S with handle	JK with wooden handle	16.00	Nos
497	Grease Gun 250 gms capacity & ISI certified	Ambitec/Ambika/Taparia	6.00	Nos
498	Punch letter 4 mm(number) , HCS	Bharat/Sagar/Groz	8.00	Nos
499	Torque wrenches 50-225 Nm	Taparia/Pye/Ambitec	6.00	Nos
500	letter punch 6 mm	Bharat/Sagar/Groz	5.00	Nos
501	S.S. Measuring Tape 5 mtr.	Venus/Freeman/Yorker	77.00	Nos

502	Rubber Hose Acetylene 8mm dia, 10 mt long as per BIS	Esab/L&T/Ador	11.00	Nos
503	AG4 Grinding Wheels	Bosch/Carborundum/Diamond	10.00	Nos
504	Spark Lighter	Standard Quality	44.00	Nos
505	File Hand 15 cm, 2 cut	JK with wooden handle	65.00	Nos
506	Gauge Plug Single Ended 5 -55 By 5mm. Set of 11 pcs.	Mitutoty/Insize/HG	9.00	Nos
507	Chisel Cold Flat 20 mm x 150mm, High Carbon steel	Jet/Ambitec/Taparia	326.00	Nos
508	Surface Plate C.I./Granite with Stand & Cover 600x600mm	Luthra/Omega/Bagson	2.00	Nos
509	Angle Plate 150x150x250mm	Bharat/Sagar/Groz	10.00	Nos
510	Portable Hand Drill Electric 0- 13 mm Capacity	Bosch/Black&Decker/De walt	6.00	Nos
511	Drill Twist Straight Shank 3mm - 12mm by 0.5mm HSS	IT/JK/Addison	12.00	Nos
512	Drill Twist Taper Shank 8mm to 20mm by 0.5mm HSS	IT/JK/Addison	11.00	Nos
513	Taps & Dies Complete Set 5,6,8,10 &12mm Set of 5	Humma/Halo/Takiar	10.00	Nos
514	File Triangular Smooth 200mm	JK with wooden handle	76.00	Nos
515	File Flat Bastard 300mm	JK with wooden handle	121.00	Nos
516	File Round Bastard 250 mm	JK with wooden handle	76.00	Nos
517	Hand Reamer Set (Taper pin straight Flute) Nominal Dia 6,8,10,12,16mm	Bharat/Sagar/Groz	8.00	Nos
518	Chisel Cold Flat 9mm x 100mm	Jet/Ambitec/Taparia	56.00	Nos
519	Machine Vice -Swivel Base 125mm	Apex/Bharat/Lion	9.00	Nos
520	Machine Vice -Swivel Base 100mm	Apex/Bharat/Lion	8.00	Nos
521	Sleeve Drill Morse Set No.0 - 1, 1-2, 2-3, 3-4, 4-5	Bharat/Sagar/Groz	7.00	Nos
522	Hand Hammer With Handle 1kg	Taparia/Pye/Ambitec	3.00	Nos
523	Power Tools For Fastening Capacity 10-18mm	Bosch/Stanley/Skil	11.00	Nos
524	Different Profile Gauges, Plate Type, Metric Standard	Mitutoyo/Insize/Baker	40.00	Nos
525	Knurling Tools Diamond	Bharat/Sagar/Groz	8.00	Nos
526	Knurling Tools Straight	Bharat/Sagar/Groz	8.00	Nos
527	Knurling Tools Diagonal	Bharat/Sagar/Groz	9.00	Nos
528	Indexable Boaring Bar With Inserts 1" Shank	Bharat/Sagar/Groz	40.00	Nos
529	Temperature Gauge Range 0-150 Degree Celcius	Baba/Asian/HTC	10.00	Nos
530	Dowel Pin Straight Dia -1", Length 4" S.S.	Standard Quality	11.00	Nos
531	Standard Taps screws (Set) M3,M4, M5,M6, M8, M10,M12,M14 & M16	Humma/Halo/Takiar	11.00	Nos
532	Lapping Plate Dia 6"	Luthra/Omega/Groz	20.00	Nos
533	Medium Carbon Heat Treated Alloy Steel Metric Studs & Bolts Along With Nuts Of Standard Length M6, M8, M10, M12, M14 & M16	Standard Quality	20.00	Nos
534	Caps Screws M6, M8, M10, M12	Standard Quality	20.00	Nos
535	Drill Gauge Letter A-Z	Bharat/Sagar/Groz	20.00	Nos
536	Number Drill Gauge 1-60	IT/JK/Addison	14.00	Nos
537	Metric Drill Gauge (1.5 mm -12.5 mm, 30 Holes)	IT/JK/Addison	14.00	Nos
538	Cast Iron Globe Valve Flange type 150 NB, Class# 150, Flange -ANSI 125- B16.1	Standard Quality	16.00	Nos
539	Cast Iron Gate Valve Flange type 150 NB, Class# 150, Flange -ANSI 125- B16.1	Standard Quality	16.00	Nos
540	Stop Cock 25 NB (2 Way, Threaded End)	Standard Quality	18.00	Nos
541	Slip-On Forged Steel Flange, 150 NB , ANSI-B16.5, Class#150	Standard Quality	40.00	Nos
542	Bolt & Nut With Washer M20x2.5x90 long Hexagonal Head	Standard Quality	136.00	Nos
543	Pipe Threading Die With Handle, Ratchet type Die Head Of 1/2", 3 /4" & 1"	Humma/Halo/Takiar	17.00	Nos
544	Pulleys (For V Belt Or Flat Belt) TO Fit On 50 mm Dia Shaft With Key Slot	Standard Quality	7.00	Nos
545	Damaged Old Spur Gear TO Fit On 50mm Dia Shaft	Standard Quality	14.00	Nos

546	Packing Gasket (PTFE Gasket Roll Small Size)	Standard Quality	7.00	Nos
547	Hollow Punch Sets Straight Shank 5-12mm	Jet/Anant/Ambitec	6.00	Nos
548	Lifting Sling 8mm Nominal Dia Single leg Sling	Standard Quality	20.00	Nos
549	Bearing Extractor-Universal Gear puller 2 or 3 Jaws Adjustable	Taparia/Pye/Ambitec	9.00	Nos
550	Pulley Extractor-Universal Gear puller 2 or 3 Jaws Adjustable	Taparia/Pye/Ambitec	8.00	Nos
551	Aviation Snips Straight Cut 300mm	Jet/Ambitec/Pye	16.00	Nos
552	Micrometer 50-75mm Outside	Mitutoyo/Insize/Baker	6.00	Nos
553	Gauge Telescopic 8- 150mm	Mitutoyo/Precise/Insize	4.00	Nos
554	Dial test Indicator On Stand 0.01mm Least Count	Mitutoyo/Precise/Insize	5.00	Nos
555	Scerw Thread MicrometerWith Interchangeble Pitch anvils For Checking Metric Thread 60 (0-25mm ,Least Count 0.01mm)	Mitutoyo/Precise/Insize	4.00	Nos
556	Vernier Caliper 0- 150mm, Least Count 0.02mm	Mitutoyo/Precise/Insize	31.00	Nos
557	Digital Micrometer 0-25mm, Outside, LC-0.001mm	Mitutoyo/Precise/Insize	7.00	Nos
558	Vernier Bevel Protector Range 360 Degree, LC-5min. (150 mm Blade)	Mitutoyo/Precise/Insize	3.00	Nos
559	Dial Vernier Caliper (Universal Type) 0-300mm, LC-0.05mm	Mitutoyo/Precise/Insize	5.00	Nos
560	Ball peen Hammer 800 gms with wooden handle	Taparia/Pye/Ambitec	61.00	Nos
561	File Flat Rough 300mm	JK with wooden handle	16.00	Nos
562	Plumb bob 50 gms.	Jet/Anant/Ambitec	45.00	Nos
563	chisel cold flat 20mm X 300mm	Jet/Ambitec/Taparia	18.00	Nos
564	Soldering Iron, Copper Bit, Fire Heated, Hatched, Straight, 500gms.	Standard Quality	6.00	Nos
565	Blow Lamp 500ml	Prabhat/Eco/Bharat	6.00	Nos
566	Mirror 100x150mm	Standard Quality	4.00	Nos
567	Hand Drill 6 mm Capacity With Drill Chuck (Electric) Rated power input 350 W No-load speed 4000 rpm Power output 136 W Rated speed 0 - 3116 rpm Chuck capacity 0,5 - 6,5 mm	Bosch/Black&Decker/De walt	2.00	Nos
568	Water Meter 1/2"	Kranti/Dashmesh/Durgesh	1.00	Nos
569	Water Meter 3/4"	Kranti/Dashmesh/Durgesh	1.00	Nos
570	hammering Drilling Machine Rated power input 350 W No-load speed 4000 rpm Power output 136 W Rated speed 0 - 3116 rpm Chuck capacity 0,5 - 6,5 mm	Bosch/Black&Decker/De walt	4.00	Nos
571	Electric PPR Pipe Welding Machine	Inder/Forzer/Atlas	2.00	Nos
572	Pipe Bender (Hydraulic Type) 15mm - 25mm	Inder/Forzer/Atlas	1.00	Nos
573	Ring Gauge 15mm,20mm, 25mm & 32mm	Mitutotyog/HG/Insize	4.00	Nos
574	Rule Steel 300mm Both In Inches & mm	Omega/Kristeel/Sharp	68.00	Nos
575	Rule Wooden 4 Fold 600mm	Metro/Gift/Omega	74.00	Nos
576	Piller Electric Drill Machine Motorised Fitted with Crompton Motor • Drilling capacity : 12mm • Spindle travel : 120mm • Morse tape in spindle : MT-2 • Table Shape : Round • Floor Area required : 500x300mm • No. of Speeds : 5 Spindle speed with 1440 RPM •Motor : 640,865, 1210, 1695, 2350 Fitted with Crompton make 1 HP 1440 RPM, 440Volts, 50 C/s Electric Motor complete with	Sandhu/ITCO/PBT	1.00	Nos

	starter switch, V-Belt, Pully			
577	Motorised Bench Grinder	Stanley/Voltec/Bosch	1.00	Nos
578	Manual Motor Coil Winding Machine	Compac/Voltec/Atlas	1.00	Nos
579	Celling Fan Coil Winding Machine	Compac/Voltec/Atlas	1.00	Nos
580	Primary Current Injection Set	Motwane/Voltec/AE	1.00	Nos
581	Ohm meter ,Series & Shunt Type ,portable box type	Voltec/Compac/AE	4.00	Nos
582	File Flat 35 cm Bastard	JK with wooden handle	52.00	Nos
583	Hand vice 37 mm	Jet/Nike/Apex	14.00	Nos
584	Plier combination 20 cm	Taparia/Pye/Ambitec	88.00	Nos
585	Thread pitch gauge (Metric)	Omega/Kristeel/Sharp	11.00	Nos
586	Vee block with clamp 75 x 38mm pair with clamps	Bharat/Sagar/Groz	2.00	Nos
587	Try square 200mm,with stock of Cast iron and blade of high carbon steel hardened and tempered	Bharat/Sagar/Groz	64.00	Nos
588	Spanner set DE set of 6 pcs. From 6x7 to 16 x17	Taparia/Pye/Ambitec	34.00	Nos
589	Flat Nose Plier Insulated 150 mm	Taparia/Pye/Ambitec	60.00	Nos
590	Wire cutter & Striper 150mm	Taparia/Pye/Ambitec	27.00	Nos
591	Cross peen Hammer 0.5 kg	Taparia/Pye/Ambitec	5.00	Nos
592	Allen key 5mm to 11mm in step of 1mm (set of 6 pcs)	Taparia/Pye/Ambitec	1.00	Nos
593	Plumb bob set brass 115 gms	Jet/Ambitec/Anant	12.00	Nos
594	File round 2nd cut 150 mm with wooden handle	JK with wooden handle	10.00	Nos
595	Crimping tool for telephone / LAN coble	Jainson/Multitec/Braco	4.00	Nos
596	Set of Rowel punch 8,10mm	Jet/Anant/Ambika	12.00	Nos
597	Wooden rule four fold	Metro/Gift/Omega	16.00	Nos
598	Plier long nose 200mm Insulated with thick C.A. sleeve (confirming to I.S. 12672-1993)	Taparia/Pye/Ambitec	54.00	Nos
599	Scriber 150mm x 4 mm with body knurling	Bharat/Sagar/Groz	48.00	Nos
600	Spanner Double ended set of 6 , 18x19, 20x22, 21x23, 24x27, 25x27, 30x32	Taparia/Pye/Ambitec	13.00	Nos
601	Blow lamp 1 ltr. Capacity	Prabhat/Eco/Bharat	4.00	Nos
602	Crimping tool (Plier 7 in 1)	Jainson/Multitec/Braco	6.00	Nos
603	Chisel cold flat 10mmx 150mm	Jet/Ambitec/Taparia	2.00	Nos
604	Hand drill machine electric with hammer action 13mm	Bosch/Black&Decker/De walt	2.00	Nos
605	Bench vice 125mm	Jet/Ambitec/Lion	12.00	Nos
606	Bench vice 100mm	Jet/Ambitec/Lion	3.00	Nos
607	Bench vice 50mm	Jet/Ambitec/Lion	2.00	Nos
608	Flat headed hammer with handle 0.5kg	Taparia/Pye/Ambitec	14.00	Nos
609	file flat second cut safe edge 300mm	JK with wooden handle	64.00	Nos
610	Try square 150mm,with stock of Cast iron and blade of high carbon steel hardened and tempered	Bharat/Sagar/Groz	113.00	Nos
611	V block pair with clamps 150x100x100mm workshop grade	Bharat/Sagar/Groz	15.00	Nos
612	Spirit level precision mettalic 300mm ,type 2, accuracy 0.1mm per metre.	Venus/Freeman/Yorker	12.00	Nos
613	Stake hatchet with leg 300x200x20mm	Standard Quality	10.00	Nos
614	Centre Punch 10x 120mm long	Bharat/Sagar/Groz	276.00	Nos
615	Dot Punch 100mm	Bharat/Sagar/Groz	282.00	Nos
616	Screw pitch gauge metric 0.25 to 6mm	Bharat/Sagar/Groz	11.00	Nos
617	Machine Reamer parallel Helical fluted 12-16mm set of 5	Bharat/Sagar/Groz	7.00	Nos
618	Adjustable pipe die set BSP cover pipe size 1" or 3/4"	Humma/Halo/Takiar	6.00	Nos
619	Wooden handle forged soldering iron copper bit	Standard Quality	12.00	Nos
620	Double ended tubular box spanner set with tommy bar. A/F 6-25 set of 10tommy bar die 6,8,10,12,14,16	Taparia/Pye/Ambitec	8.00	Nos
621	Spanner double ended 6x7, 8x9 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	Taparia/Pye/Ambitec	2.00	Nos
622	Mallet dia 100mmx150mm	Jet/Anant/Ambitec	10.00	Nos

623	Aviation Snips Straight Cut 300mm	Jet/Ambitec/CE	2.00	Nos
624	Stake Grooving 100x100x300mm	Standard Quality	10.00	Nos
625	Connecting screwdriver 10x100mm	Taparia/Pye/Ambitec	78.00	Nos
626	Screw driver set (set of 7)	Taparia/Pye/Ambitec	60.00	Nos
627	Double bladed electricians knife folding type 10 cm. Stainless steel	Standard Quality	181.00	Nos
628	Tweezers 150mm Stainless steel	Standard Quality	75.00	Nos
629	Magneto spanner set of 8 spanners	Standard Quality	7.00	Nos
630	150mm flat pliers	Taparia/Pye/Ambitec	8.00	Nos
631	Allen key set (Hexagonal -set of 9) 1 - 12 mm, set of 24 Keys	Taparia/Pye/Ambitec	2.00	Nos
632	Tubular box spanner (set- 6-32mm)	Taparia/Pye/Ambitec	2.00	Nos
633	Scriber 150mm double point	Bharat/Sagar/Groz	12.00	Nos
634	Flat tongs 350mm long	Standard Quality	68.00	Nos
635	Hacksaw Frames fixed 300 mm	Jolly/Ambitec/Anant	119.00	Nos
636	File half round bastard 300mm	JK with wooden handle	21.00	Nos
637	Centre punch, 9mm x127mm	Bharat/Sagar/Groz	80.00	Nos
638	Grease Gun heavy duty trolley type 10 kg capacity	Ambitec/Ambika/Taparia	2.00	Nos
639	Outside Micrometer 75-100mm	Mitutoyo/Insize/Baker	2.00	Nos
640	Scriber with scribing block universal	Bharat/Sagar/Groz	8.00	Nos
641	Spark plug spanner 14mm x18mm x size	Ambitec/Ambika/Taparia	5.00	Nos
642	Vernier Caliper 0- 300mm, Least Count 0.02mm	Mitutoyo/Insize/Baker	6.00	Nos
643	Plain washer 10mm ID, spring washer 10mm ID, toothed washer 10mm ID	Standard Quality	4.00	Nos
644	Keys (Jib head key, Feather key, Woodruff key, Taper key, Sunk key)	Standard Quality	4.00	Nos
645	Clutch - positive clutch (straight tooth type, Angular tooth type) dog clutch, single plate clutch, over running clutch, centrifugal clutch, electromagnetic clutch.	MSG/Minda/Pluto	4.00	Nos
646	Cotter 4mm x 12mm	Bharat/HSS/Sagar	10.00	Nos
647	Circlip (external & internal) 25 ID	Ambitec/Ambika/Taparia	10.00	Nos
648	Hollow punch 5,7,9,11(straight shank)	Jet/Anant/Ambitec	3.00	Nos
649	Bearing 1) ball bearing ID25mm, 2) roller bearing ID25mm,3) Needle bearing ID 25mm, 4) Thrust bearing ID25mm, 5) Teaper roller bearing ID25mm, 6)Journal bearing ID 25mm,7) Plumber block bearing ID25mm	SKF/NTN/FAG	10.00	Nos
650	Screw driver 150mm x4mm with celluloid handle with diamond head	Taparia/Pye/Ambitec	227.00	Nos
651	Electrician connector screw driver 100mm x 4mm celluloid handle and thin insulated stem	Taparia/Pye/Ambitec	182.00	Nos
652	Heavy duty screw driver 200 mm X 05 mm with celluloid handle	Taparia/Pye/Ambitec	196.00	Nos
653	Electrician screw driver thin stem insulated celluloid handle 250mm X 04mm	Taparia/Pye/Ambitec	228.00	Nos
654	Cross Pein Hammer 250gms with wooden handle	Taparia/Pye/Ambitec	234.00	Nos
655	Ball pein Hammer 500gms with wooden handle	Taparia/Pye/Ambitec	10.00	Nos
656	Chisel Cold 25mm X 200mm	Jet/Ambitec/Taparia	4.00	Nos
657	Grease Gun 0.5 ltr	Jet/Ambitec/Taparia	3.00	Nos
658	Pully Puller with 3 legs adjustable 150mm	Taparia/Pye/Ambitec	5.00	Nos
659	Pully Puller with 3 legs adjustable 300mm	Taparia/Pye/Ambitec	11.00	Nos
660	Bearing Puller Outside 200mm	Taparia/Pye/Ambitec	6.00	Nos
661	Bearing Puller Inside 200mm bearing size no. 6201 up to 6205 (set of 5pcs)	Taparia/Pye/Ambitec	5.00	Nos
662	Scissor blade 200 mm SS Brass Handle	Standard Quality	21.00	Nos
663	Crimping Tool 1.5 sqmm to 16sqmm Capacity	Jainson/Multitec/Braco	12.00	Nos
664	Crimping Tool 16 sqmm to 95sqmm Capacity	Jainson/Multitec/Braco	15.00	Nos
665	Mid Gate Saw 150mm Fixed	Anant/Ambitec/Taparia	6.00	Nos

666	Divider Calliper 150mm Spring type	Bharat/Sagar/Groz	6.00	Nos
667	Plier Flat Nose Insulated 200mm	Taparia/Pye/Ambitec	25.00	Nos
668	snip straight 250mm Heavy Duty	Jet/Ambitec/Pye	9.00	Nos
669	snip Bent 250mm Heavy Duty	Jet/Ambitec/Pye	11.00	Nos
670	Drill Hand Brace 0-10mm capacity	Jet/Humma/Takiar	8.00	Nos
671	Plane Cutters 50mm X 200mm	Jet/Anant/Ambitec	11.00	Nos
672	Desoldering Gun Heat Proof Nozzle, PVC type 250mm	Noel/Hakko/Soldron	14.00	Nos
673	granite surface plate 1000x1000 with stand and cover	Luthra/Omega/Bagson	1.00	Nos
674	C.I. Sluice/ Gate valve (flage type) 150NB, Class#150, Flange: ANSI125-B16.1	Standard Quality	10.00	Nos
675	File Round 250mm smooth	JK with wooden handle	18.00	Nos
676	Tool cemented carbide assorted shape external steel turning (set of 12 nos.)	Miranda/Adisson/IT	5.00	Nos
677	Hammer copper 500gm with handle & ISI Certified	Taparia/Pye/Ambitec	18.00	Nos
678	Hacksaw Frames fixed 20 cm long with suitable pistol grip PVC handle	Jolly/Ambitec/Anant	6.00	Nos
679	File half round 150mm smooth	JK with wooden handle	14.00	Nos
680	Planer Gauge std size	Anant/Ambitec/Taparia	6.00	Nos
681	Taps and dies complete set in box (Metric) 3-24 mm made of good quality tool steel confirming to ISO/ISI std	Humma/Halo/Takiar	6.00	Nos
682	Taps and dies complete set in box B.S.F. Upto 1 inch made of good quality tool steel confirming to ISO/ISI std	Humma/Halo/Takiar	6.00	Nos
683	Taps and dies complete set in box B.S.W. Upto 1 inch made of good quality tool steel confirming to ISO/ISI std	Humma/Halo/Takiar	7.00	Nos
684	Hand reamer set (taper pin straight flu te) nominal dia. 6,8,10,12,16 mm	Bharat/Sagar/Groz	1.00	Nos
685	Twist drill straight shank 3 to 12 mm by 1 mm	IT/JK/Addison	2.00	Nos
686	Twist drill straight shank 3 to 12 mm by 0.5 mm and HSS	IT/JK/Addison	1.00	Nos
687	Twist drill straight shank 14 to 20 mm by 1 mm	IT/JK/Addison	1.00	Nos
688	Twist drill taper shank 8 to 20 mm by 0.5 mm HSS	IT/JK/Addison	3.00	Nos
689	wheel dresser hunting on type with star cutter	Bharat/Sagar/Groz	2.00	Nos
690	wheel dresser (inserted 0.75 - 1 carat)	Bharat/Sagar/Groz	4.00	Nos
691	Radius gauge leaf type 1 to 25 mm by 0.5 mm with hardened and tempered blade	Bharat/Sagar/Groz	12.00	Nos
692	Micrometer 25-50 mm outside. Least count- 0.01 mm. Complete with test piece, operation manual, etc. in a suitable box. Anvil and spindle made of alloy steel with their measuring faces made of tungston carbide steel, frame made of malleable cast iron or drop forged steel. Confirming to ISO / ISI Standards.	Mitutoyo/Insize/Baker	5.00	Nos
693	Centre Gauge 60 Degree	Bharat/Sagar/Groz	1.00	Nos
694	Centre Gauge com. 60, 55 and 29 Degree	Bharat/Sagar/Groz	5.00	Nos
695	Sleeve drill morse no.0-1,1-2,2-3,3-4,4-5	Bharat/Sagar/Groz	1.00	Nos
696	Hand chaser M 12 & M 16 external	Rekofa/NTI/National	6.00	Nos
697	Hand chaser M 12 & M 16 internal	Rekofa/NTI/National	6.00	Nos
698	Gauge drill grinding	Bharat/Sagar/Groz	2.00	Nos
699	Collapsible tap with attachment	Bharat/Sagar/Precise	4.00	Nos
700	File card 3 inch by 5 inch brass or steel wire	Standard Quality	28.00	Nos
701	Screw driver 150 mm X 04mm with celluloid handle with diamond head	Taparia/Pye/Ambitec	54.00	Nos
702	Screw driver 150 mm X 06 mm with celluloid handle	Taparia/Pye/Ambitec	202.00	Nos
703	Heavy duty screw driver 200 mm X 05 mm with celluloid handle	Taparia/Pye/Ambitec	76.00	Nos

704	Bearing puller Inside 200mm bearing size no. 6201,6202,6203, 6204,6205(Set of five pcs)	Taparia/Pye/Ambitec	2.00	Nos
705	Crimping Tool 1.5 sq,mm To 16 sq,mm capacity	Jainson/Multitec/Braco	6.00	Nos
706	Outside calliper 150mm spring type	Bharat/Sagar/Groz	2.00	Nos
707	Inside calliper 150mm spring type	Bharat/Sagar/Groz	2.00	Nos
708	Plier Long nose insulated 150 mm	Taparia/Pye/Ambitec	20.00	Nos
709	Desoldering Pump (Electrical Heated) Manually operated - 230v, 40w	Hakko/Soldron/Noel	18.00	Nos
710	V belt to fit on pully	Fenner	6.00	Nos
711	flat belt to fit on pully	Fenner	6.00	Nos
712	Gauge snap go & not go, 25 -50 mm by 5 mm, set of 6pcs	Mitutoty/Insize/HG	2.00	Nos
713	Carbite wear black, 1mm-2mm	JK/HSS/IT	2.00	Nos
714	Anvil 12 sq." with stand	REMS/VSK/Gift	2.00	Nos
715	Tap & die set wooden box, with placing arrangement to each Tap & die, made of high carbon steel, hardened & tempered, as per IS standard with ISI mark - Metric 5,6,8,10 & 12mm	Humma/Halo/Takiar	2.00	Nos
716	Starter motor axial type, 12 volts Brand New Starter Motor Axial Type to be supplied	Lucas/Compac/TVS	3.00	Nos
717	Starter motor Co-axial type, 12 volts Brand New Starter Motor Co-Axial Type to be supplied	Lucas/Compac/TVS	2.00	Nos
718	Starter motor pre-engagement type , 12 volts Brand New Starter Motor Pre-engagement Type to be supplied	Lucas/Compac/TVS	2.00	Nos
719	Bar magnet with keepers	Alinco/Bharat/Sagar	2.00	Nos
720	Grease Gun 250 gms capacity	Taparia/Ambitec/Pye	4.00	Nos
721	Horse shoe magnet- made of 5 mm thick and app. 12 mm wide steel strips, Painted red & stamped with 'N' & 'S' to indicate north & south poles, supplied with soft iron plated keeper.	Alinco/Bharat/Sagar	1.00	Nos
722	Rubber gloves 5000V	Viddyut/Honeywell/Mag id	4.00	Nos
723	Magnifying glass 100 mm . dia	Standard Quality	2.00	Nos
724	Magnifying lenses 75mm (ISI Standard / ISO certified) white two LED light 60mm Lens 3 x Magnifying glass Magnified	Standard Quality	9.00	Nos
725	Grease Gun heavy duty trolley type 10 Kg capacity	Taparia/Ambitec/Pye	5.00	Nos
726	Grease Gun medium size pressure type	Taparia/Ambitec/Pye	1.00	Nos
727	Oil can 0.25 litre with red coloured steel body & spring levered spindle mechanism for oil output. Confirming to ISO / ISI Standards. with pressure pump.	Taparia/Ambitec/Pye	18.00	Nos
728	Rubber matting (2 meter x 1 meter x 10 mm)	ISI Mark	4.00	Nos
729	Tower ladder on type wheels (Min 10ft-Max 30ft) adjustable.	Standard Quality	5.00	Nos
730	Anvil (100 x 200mm) 50 kg , made from (Cast Iron) fine castings and machined, painted in black colour.	Inder/REMS/Apex	1.00	Nos
731	Blow lamp 1 litre fuel capacity tank with fuel efficient burner. All are welded with heavy tank and strong caring grip	Prabhat/Eco/Bharat	10.00	Nos
732	Air blow gun with trigger operated nozzles & standard Accessories	Force/CE/Mega	5.00	Nos
733	Spark lighter Material : steel , Surface treatment : Zinc/Nickel Plating	Standard Quality	12.00	Nos
734	Soldering Iron- 240W /230Volts	Toni/JK/Soldron	3.00	Nos
735	Soldering iron 10W /230V	Toni/JK/Soldron	38.00	Nos

736	Soldering Iron, hand. 350 gm ' V ' shape hatchet type, with copper head and backlite handle	Standard Quality	2.00	Nos
737	Portable hand drill (electric) 0-6mm, 240 volts, Pistol, grip (coded) drill, with chuck and chuck key. Torque selection ring, on/off triggge, forward and reverse switch, with single phase motor. Hammer and normal mode switch. Confirming to ISO/ISI standard	Bosch/Dewalt/Black & Decker	6.00	Nos
738	Soldering Iron Changeable bits 15 W Power consumption:- 15W Break down voltage 250V; Current leakage:-5 μ A Maximum bit temperature: 370°C Length: 147mm	Toni/JK/Soldron	182.00	Nos
739	Soldering Iron , Copper Bit , Fire heated , Hatched , Straight , 500 grams	Standard Quality	4.00	Nos
740	Hammering drilling machine ,pressing system , 23mm,230volt, 50hz	Bosch/Dewalt/Black & Decker	2.00	Nos
741	Electrical power drilling machine (13mm, capacity 250 volts universal type)	Bosch/Dewalt/Black & Decker	8.00	Nos
742	Electric soldering iron (125 watts ,230-250 V)	Toni/JK/Soldron	6.00	Nos
743	Soldering iron (60 w/230 v)	Toni/JK/Soldron	78.00	Nos
744	Vacuum cleaner Power : 300W(IEC) Voltage : 230 V Suction Pressure :282.21 mm/Water Airflow : 1112.26 l/min Bowl Capacity : 940 ml Runtime : 30 Minutes Cable length : 5 m Dust Bag Capacity : 0.2 Ltr	Eureka/Bosch/Sklyine	3.00	Nos
745	Desoldering pump electrical heated, manual operated, 230 V, 40 W	Hakko/CE/Weller	83.00	Nos
746	Lead Acid Batteries 12V, 75Ah	Exide/Lumionous/Amron	1.00	Nos
747	Hydrometer	Thinson/HTC/Thomson	12.00	Nos
748	Hand drill machine 0-6mm capacity	Bosch/Dewalt/Black & Decker	7.00	Nos
749	Portable Electric Drill Machine 12mm Capacity 750W,240V with chuck and key (Hammer Drill)	Bosch/Dewalt/Black & Decker	10.00	Nos
750	Thermometer Digital 0-150 Degree Centigate	Apollo/HTC/Kwality	6.00	Nos
751	Soldering iron Electric 25W 230V	Toni/JK/Soldron	103.00	Nos
752	Soldering iron Electric 65W 230V	Toni/JK/Soldron	12.00	Nos
753	Soldering iron Electric 125W 230V	Toni/JK/Soldron	4.00	Nos
754	Temperature Control Soldeing Iron 50W, 230 Volt	Toni/JK/Soldron	12.00	Nos
755	Adjustable pipe chain tong to take pipes upto 300 mm. with heavy duty roller chain made of specialized chain alloy, hardened head with gripping parts, teeth/ grooves to hold diameters of pipes upto 300mm & suitable hardened steel handle. Confirming to ISO / ISI Standards.	Taparia/Ambitec/Pye	1.00	Nos
756	Drill Chuck 12 mm along with chuck key, suitable toughened morse taper shank combatible to all standard machines.	Sanou/IT/Sharp	4.00	Nos
757	Oil can, 500gms pressure feed, manufactured from fine grade tin & powder coated, with steel pump supplied along with flexible spouts manufactured from wirre braded PVC, both ends are fitted with solid brass fittings.	Taparia/Ambitec/Prima	5.00	Nos
758	Conventry type Die head(self opening) ,capcity 4 to 18mm,with chaser	Speedo/Tacho/Precise	2.00	Nos

759	Lathe mandrels, different types set of (plain,step,cone,threadad,etc) Test mandrels, MT2, Taper/ Parallel	Luthra/Bharat/Omega	2.00	Nos
760	Machine chaser M-12 to M-21 (Standard series) for Conventry Die head- one set	Rekofa/NTI/National	2.00	Nos
761	Magnetic chucks 150 mm dia- Round with back plate to suit lathe spindle nose type A 2.	Bharat/Sagar/Apex	2.00	Nos
762	Revolving centre with MT-4 shank, to suit lathe tail stock	Sagar/Bharat/Apex	9.00	Nos
763	Parting tool holder with H.S.S. Blade, 3 mm thick	Sagar/Bharat/Groz	12.00	Nos
764	Dog Carrier bend type 25,50 and 75 mm; 4 nos each (total 12 nos)	Sagar/Bharat/Groz	24.00	Nos
765	Boring tool holder for 6 mm sq. tool bit,Double Ended 90° & 45° square ends,to be supplied with Allen key and Screw.	Sagar/Bharat/Groz	30.00	Nos
766	Morse taper reduction sleeves no. 0-1,1-2,2-3,3-4-4-5 to suit lathe tailstock & drill ,reamer taper shank.	Sagar/Bharat/Addisson	1.00	Nos
767	Conventry die Head capacity 4 to 18 mm confirming to ISI standard	Speedo/Tacho/Precise	2.00	Nos
768	Ball pein Hammer 750gms with wooden handle	Taparia/Pye/Ambitec	6.00	Nos
769	Gauge wire Imperial stainless steel marked in SWG & MM (Wire gauge metric)	Omega/Kristeel/Mitutoyo	24.00	Nos
770	Tools maker vice 100mm (Clamp)	Bharat/Sagar/Groz	2.00	Nos
771	Tools maker vice 50mm (Clamp)	Bharat/Sagar/Groz	2.00	Nos
772	Neon tester 500 Volts pencil bit type	Taparia/Pye/Ambitec	67.00	Nos
773	try square 15cm blade made of hardened good quality steel with included angle 90 degree with burr slot confirming toISO standards	Bharat/Sagar/Groz	67.00	Nos
774	file half round 30cm bastard made of high carbon / high grade cast steel with well fitted PVC handle with ferrule.Body hardened and tempered and tang soft tempered.confirming to ISO /ISI standard	JK with wooden handle	48.00	Nos
775	Surface roughness comparison plate N1-N12 grade	Bharat/Sagar/Groz	2.00	Nos
776	Continuity Tester:- (Pen Type), battery Operated(2AA) to test electrical/ Electronic circuits, with LED Indication	Standard quality	21.00	Nos
777	Torque wrench 12-68NM	Standard quality	2.00	Nos
778	File Flat Rasp 250 mm	JK/Taparia/Sunflower/Th ree star	2.00	Nos
779	File Triangular Smooth 250mm	Taparia/JK/Sunflower/Th ree star	2.00	Nos
780	Stove melting solder 2 litre	Prabhat/Eco/Bharat	1.00	Nos
781	Tin smiths bench folder 600 x 10.mm	Compac/Anson/Breeze	1.00	Nos
782	Plumber laddle	Standard Quality	2.00	Nos